Flush Pulls/
Sliding Door Flush Pulls, Sliding Door Privacy Flush Pulls

Sly: Flush pulls by Didheya of Spain

Six millimeters thick and in ten different designs. The Sly range from Didheya of Spain is innovative, simple, practical and easy to install. Designed for sliding timber or glass doors in constant use, the Sly range is clean and visually different and appealing.

This is a clear example of pragmatism resolved in a six millimeter thick element.

Didheya of Spain by Bellevue

BI4040 - size & finish

Code	H	A	Proj
BI4040A	300	185.41	6
BI4040B	150	92.71	6
BI4040C	85	50	6

Sold in Sets
All dimensions in mm
Finish, Satin (S) or Polished (P) Stainless
On Glass, we recommend the use of UV Glue
Custom Sizes Available

Suitable for 10, 12, 32mm thick glass and timber doors. Custom sizes available

BI3250 - size & finish

Code	ØD	H	W	W1
BI3250A	94	3	10	4
BI3250B	94	3	12	4
BI3250C	94	3	32	4

Finish: satin stainless (S) or polished stainless (P)
Sold in sets, diam in mm, on glass UV glue is recommended. Custom sizes available

Suitable for 10, 12, 32mm thick glass and timber doors. Custom sizes available

BI5250 - size & finish

Code	ØD	H	W	W1
BI5250A	94	3	10	4
BI5250B	94	3	12	4
BI5250C	94	3	32	4



Finish: satin stainless (S) or polished stainless (P)
Sold in sets, diam in mm, on glass UV glue is recommended. Custom sizes available

Door Fully Recessed

Suitable for 10, 12, 32mm thick glass and timber doors. Custom sizes available

BI4250 - size & finish

Code	H	W	W1
BI4250A	100	10	50
BI4250B	100	12	50
BI4250C	100	32	50



Finish: satin stainless (S) or polished stainless (P)
Sold in sets, diam in mm, on glass UV glue is recommended. Custom sizes available

Flush Pulls





BI4030 - size & finish

Code	H1	H2	W1	W2	Proj
BI4030A	500	480	90	20	6
BI4030B	300	280	75	20	6
BI4030C	150	130	60	20	6

BI4020 - size & finish

Code	H1	H2	W1	W2	Proj
BI4020A	300	280	80	50	6
BI4020B	150	130	65	35	6
BI4020C	85	65	50	20	6

Finish: satin stainless (S) or polished stainless (P)
Sold in sets, diam in mm, on glass UV glue is recommended. Custom sizes available

Flush Pulls





BI3010 - size & finish

Code	ØD	Ød	Proj
BI3010A	100	68	6
BI3010B	70	46	6
BI3010C	40	24	6

BI4010 - size & finish

Code	A	Proj
BI4010A	85	6
BI4010B	65	6
BI4010C	50	6

Finish: satin stainless (S) or polished stainless (P)
Sold in sets, diam in mm, on glass UV glue is recommended. Custom sizes available

Flush Pulls



BI3030 - size & finish

Code	ØD	Proj
BI3030A	100	6
BI3030B	70	6
BI3030C	40	6

BI3040 - size & finish

Code	A	B	C	R	Proj
BI3040A	97	87, 50	12	40	6
BI3040B	68	60	10	35	6
BI3040C	39	30	8	20	6

Finish: satin stainless (S) or polished stainless (P)
Sold in sets, diam in mm, on glass UV glue is recommended. Custom sizes available

Flush Pulls



BI3020 - size & finish

Code	R	H	E	Proj
BI3020A	50	300	16	6
BI3020B	35	150	12	6
BI3020C	20	85	8	6

BI4050 - size & finish

Code	H	A	Proj
BI4050A	300	30	6
BI4050B	150	25	6
BI4050C	85	20	6

BI4060 - size & finish

Code	H1	H2	A	B	Proj
BI4060A	300	225	90	15	6
BI4060B	150	100	50	10	6
BI4060C	85	59	35	6	6

Finish: satin stainless (S) or polished stainless (P)
Sold in sets, diam in mm, on glass UV glue is recommended. Custom sizes available

Flush Pulls

T2940

base material
Brass

available finish
Bright Chrome (C)
Oxidized Dark Bronze (B)

available sizes (mm)
Length 400

fixing
Rebated into timber doors only

thicknes (door)
40mm thick

specification code
T2940 - finish



T2941

base material
Brass

available finish
Bright Chrome (C)
Oxidized Dark Bronze (B)

available sizes (mm)
Length 400

fixing
Rebated into timber doors only

thicknes (door)
35mm thick

specification code
T2941 -finish



Siro Flush Pull
by Studio Olivari

D111

Suitable for timber & aluminium doors

material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments



Specification Code + Finish
D111 - finish

TW01 Flush Pull
by Bellevue

TW01

finish

SS satin stainless steel
PS polished stainless steel (face only)

door suitability
Timber doors

Ideally priced for projects



Specification Code + Finish
TW01 - finish

S2155 Flush Pull
by Siro of Austria

S2155

finish

CR bright chrome
SN satin nickel

door suitability
Timber doors

Ideally priced for projects



Deep recess for large hands.
Soft edges for comfort.

Specification Code + Finish
S2155 - finish

Flush Pulls

Giotto Q
by Studio Olivari



material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments



D129

Suitable for timber & aluminium doors

Specification Code + Finish
D129 - giotto flush pull set

Square Flush Pulls
by Siro of Austria & Bellevue

finish

CR bright chrome
SC satin chrome
SN satin nickel (S2152 only)
SI Silver (Z9300B only)

door suitability

Timber doors

Ideally priced for projects

size

Z9300B: 75 x 75mm
301156: 49 x 50mm
S2152A: 76 x 76mm
S2152B: 56 x 56mm

Z9300B & 301156

S2152

Specification Code + Finish
Z9300B - finish
301156 - finish
S2152 - size - finish

S01045 Flush Pulls
by Siro of Austria

finish

CR bright chrome
NI nickel
SI Silver

door suitability

Timber doors

size

140 x 50 x 18mm

Spring Loaded Face Plate

S01045

Specification Code + Finish
S01045 - finish

Z9300 Flush Pull

by Bellevue

Z9300

finish

CR bright chrome
SN satin nickel

door suitability

Timber doors

Ideally priced for projects



Specification Code + Finish
Z9300- finish

Z9301 Flush Pull

by Bellevue

Z9301

finish

CR bright chrome
SN satin nickel

door suitability

Timber doors

Ideally priced for projects



Specification Code + Finish
Z9301- finish

70913 Multi-Directional Flush Pull

CONFALONIERI *made in italy*

70913

finish

CR bright chrome
SI anodized silver

door suitability

Timber doors



Specification Code + Finish
70913 - finish

Flush Pulls

Half Moon Flush Pulls

Siro of Austria & Elmes of Japan

T203 & S2151

finish

CR bright chrome (2151 only)
SN satin nickel (2151 only)
SS satin stainless steel (T201 only)
PS polished stainless steel (T201 face only)

door suitability

Timber doors

size

T203: 90mm diameter, 19mm depth by Elmes
S2151:90mm diameter, 14mm depth by Siro

Specification Code + Finish
T203 - finish
S2151 - finish

Round Flush Pull

by Siro of Austria & Bellevue

BI60 & BI75 & 60590

finish

CR chrome (60595 only)
SC satin chrome (60595 only)
PB polished brass (60595 only)
PS polished stainless steel (BI60 & 70 only)
SS satin stainless steel (BI60 & 70 only)

Door suitability

Timber doors

Ideally priced for projects

size

BI60: 60 x 35 x 15mm, 2mm lip
BI75: 75 x 50 x 19mm, 2mm lip
60595/50: 50 x 40 x 10mm, 2mm lip by Siro
60595/40: 40 x 35 x 10mm, 2mm lip by Siro

Specification Code + Finish
BI60 - finish
BI75 - finish
60590/50 - finish
60590/40 - finish

Giotto

Nicola Novelletto / Olivari

D124

Suitable for timber & aluminium doors

material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments



Specification Code + Finish
D124 - giotto flush pull set

Vico Flush Pull
Studio Olivari

D109

Suitable for timber & aluminium doors

material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments



Specification Code + Finish
D109 - finish

Nemi Flush Pull
Paolo Portoghesi / Olivari

D509

Suitable for timber & aluminium doors

finish

BL black nylon
WH white nylon



Specification Code + Finish
D509 - finish

TW02 Flush Pull
by Bellevue

TW02

finish

SS satin stainless steel
PS polished stainless steel (face only)

door suitability

Timber doors

Ideally priced for projects



Specification Code + Finish
TW02 - finish

Sliding Privacy Flush Pulls

K14250 Privacy Flush Pull

by Didheya made in Spain

K12450L

finish

SS satin stainless steel
PS polished stainless steel (face only)

door suitability

32mm + timber doors

lock

BL015 Sliding door lock included as standard



Specification Code + Finish
K14250L - finish
K14250 - finish (without lock)

Giotto Q

Studio Olivari

D127L

Suitable for timber & aluminium doors

material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments

door suitability

40mm + timber & aluminium doors

lock

BL015 Sliding door lock included as standard



Specification Code + Finish
D127L - finish
D127 - finish (without lock)

Giotto Q

Studio Olivari

D128L

Suitable for timber & aluminium doors

material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments

door suitability

40mm + timber & aluminium doors

lock

BL015 Sliding door lock included as standard



Specification Code + Finish
D128L - finish
D128 - finish (without lock)

K13250 Privacy Flush Pull

by Didheya made in Spain

finish

SS satin stainless steel
PS polished stainless steel (face only)

door suitability

32mm + timber doors

lock

Sliding door lock included as standard



K13250L

Specification Code + Finish
K13250L - finish
K13250 - finish (without lock)

Giotto

Nicola Novelletto / Olivari

material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments

door suitability

40mm + timber & aluminium doors

lock

BL015 Sliding door lock included as standard



D122L

Suitable for timber & aluminium doors

Specification Code + Finish
D122L - finish
D122 - finish (without lock)

Giotto

Nicola Novelletto / Olivari

material/brass

CR bright chrome
SC satin chrome
BIC biochrome bright - the world's first bio-friendly door handle finish
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments

door suitability

40mm + timber & aluminium doors

lock

BL015 Sliding door lock included as standard



D123L

Suitable for timber & aluminium doors

Specification Code + Finish
D123L - finish
D123 - finish (without lock)

Self Latching Privacy Kits

WC Self latching Snib & Release Sliding Door Kit
Studio Olivari

SD107

finish

CR bright chrime
SC satin chrome
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments

door suitability

Timber doors

lock

Sliding door lock included as standard

usage
Used to self latch sliding WC timber doors.
Turn snib & release (H107R6).

rose

Round Rose (R)
Sqaure Rose (S)

Specification Code + Finish
SD107 - Rose - finish

Pool Self latching Snib & Snib Sliding Door Kit
Studio Olivari

SD128L

finish

CR bright chrime
SC satin chrome
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments

door suitability

Timber doors

lock

Sliding door lock included as standard

note
Used to self latch sliding Pool timber doors.
Turn snib (H107S).

rose

Round Rose (R)
Sqaure Rose (S)

Specification Code + Finish
D128L - Rose - finish

Pool Self latching Snib & Snib Swinging Door Kit
Studio Olivari

PH107

finish

CR bright chrime
SC satin chrome
IB superinox brass - guaranteed not to pitt or tarnish for 30 years in sea air environments
IS superinox satin - guaranteed not to pitt or tarnish for 30 years in sea air environments

door suitability

Timber doors

lock

Sliding door lock included as standard

note

Used to self latch swinging Pool timber doors.
Turn snib (H107S).

rose

Round Rose (R)
Sqaure Rose (S)

Specification Code + Finish
PH107 - Rose - finish