


**Barben BAH-111****SSS PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-111/A	Dia. 32 38,	Proj. 92 98,	Length 300	ctc 100
BAH-111/B	Dia. 32 38,	Proj. 92 98,	Length 400	ctc 200
BAH-111/C	Dia. 32 38,	Proj. 92 98,	Length 500	ctc 300
BAH-111/D	Dia. 32 38,	Proj. 92 98,	Length 600	ctc 400
BAH-111/E	Dia. 32 38,	Proj. 92 98,	Length 700	ctc 500
BAH-111/F	Dia. 32 38,	Proj. 92 98,	Length 800	ctc 600
BAH-111/G	Dia. 32 38,	Proj. 92 98,	Length 900	ctc 700
BAH-111/H	Dia. 32 38,	Proj. 92 98,	Length 1000	ctc 800
BAH-111/ I	Dia. 32 38,	Proj. 92 98,	Length 1100	ctc 900
BAH-111/J	Dia. 32 38,	Proj. 92 98,	Length 1200	ctc 1000
BAH-111/K	Dia. 32 38,	Proj. 92 98,	Length 1300	ctc 1100
BAH-111/L	Dia. 32 38,	Proj. 92 98,	Length 1400	ctc 1200
BAH-111/M	Dia. 32 38,	Proj. 92 98,	Length 1500	ctc 1300
BAH-111/N	Dia. 32 38,	Proj. 92 98,	Length 1600	ctc 1400
BAH-111/O	Dia. 32 38,	Proj. 92 98,	Length 1700	ctc 1500
BAH-111/P	Dia. 32 38,	Proj. 92 98,	Length 1800	ctc 1600
BAH-111/Q	Dia. 32 38,	Proj. 92 98,	Length 1900	ctc 1700
BAH-111/R	Dia. 32 38,	Proj. 92 98,	Length 2000	ctc 1800
BAH-111/S	Dia. 32 38,	Proj. 92 98,	Length 2100	ctc 1900
BAH-111/T	Dia. 32 38,	Proj. 92 98,	Length 2200	ctc 2000
BAH-111/U	Dia. 32 38,	Proj. 92 98,	Length 2300	ctc 2100
BAH-111/V	Dia. 32 38,	Proj. 92 98,	Length 2400	ctc 2200

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø32mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-111/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-116****SSS PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-116/A	Dia. 32 38,	Proj. 92 98,	Length 300	ctc 200
BAH-116/B	Dia. 32 38,	Proj. 92 98,	Length 400	ctc 300
BAH-116/C	Dia. 32 38,	Proj. 92 98,	Length 500	ctc 400
BAH-116/D	Dia. 32 38,	Proj. 92 98,	Length 600	ctc 500
BAH-116/E	Dia. 32 38,	Proj. 92 98,	Length 700	ctc 600
BAH-116/F	Dia. 32 38,	Proj. 92 98,	Length 800	ctc 700
BAH-116/G	Dia. 32 38,	Proj. 92 98,	Length 900	ctc 800
BAH-116/H	Dia. 32 38,	Proj. 92 98,	Length 1000	ctc 900
BAH-116/ I	Dia. 32 38,	Proj. 92 98,	Length 1100	ctc 1000
BAH-116/J	Dia. 32 38,	Proj. 92 98,	Length 1200	ctc 1100
BAH-116/K	Dia. 32 38,	Proj. 92 98,	Length 1300	ctc 1200
BAH-116/L	Dia. 32 38,	Proj. 92 98,	Length 1400	ctc 1300
BAH-116/M	Dia. 32 38,	Proj. 92 98,	Length 1500	ctc 1400
BAH-116/N	Dia. 32 38,	Proj. 92 98,	Length 1600	ctc 1500
BAH-116/O	Dia. 32 38,	Proj. 92 98,	Length 1700	ctc 1600
BAH-116/P	Dia. 32 38,	Proj. 92 98,	Length 1800	ctc 1700
BAH-116/Q	Dia. 32 38,	Proj. 92 98,	Length 1900	ctc 1800
BAH-116/R	Dia. 32 38,	Proj. 92 98,	Length 2000	ctc 1900
BAH-116/S	Dia. 32 38,	Proj. 92 98,	Length 2100	ctc 2000
BAH-116/T	Dia. 32 38,	Proj. 92 98,	Length 2200	ctc 2100
BAH-116/U	Dia. 32 38,	Proj. 92 98,	Length 2300	ctc 2200

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □32mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-116/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-120

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-120/A Dia. 32, Proj. 92, Length 680 ctc 425

BAH-120/B Dia. 32, Proj. 92, Length 1055 ctc 800

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-120/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-123 **SSS PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**



BAH-123/A Dia. 32, Proj. 92, Length 420 ctc 320

BAH-123/B Dia. 32, Proj. 92, Length 950 ctc 785

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	(see Fixing Page)	Finish
eg: BAH-123/A	32mm	G.Fix		SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-124****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-124/A	Dia. 25 32 38, Proj. 85 92 98, Length 400 ctc 200
BAH-124/B	Dia. 25 32 38, Proj. 85 92 98, Length 500 ctc 300
BAH-124/C	Dia. 25 32 38, Proj. 85 92 98, Length 600 ctc 400
BAH-124/D	Dia. 25 32 38, Proj. 85 92 98, Length 700 ctc 500
BAH-124/E	Dia. 25 32 38, Proj. 85 92 98, Length 800 ctc 600
BAH-124/F	Dia. 25 32 38, Proj. 85 92 98, Length 900 ctc 700
BAH-124/G	Dia. 25 32 38, Proj. 85 92 98, Length 1000 ctc 800
BAH-124/H	Dia. 25 32 38, Proj. 85 92 98, Length 1100 ctc 900
BAH-124/I	Dia. 25 32 38, Proj. 85 92 98, Length 1200 ctc 1000
BAH-124/J	Dia. 25 32 38, Proj. 85 92 98, Length 1300 ctc 1100
BAH-124/K	Dia. 25 32 38, Proj. 85 92 98, Length 1400 ctc 1200
BAH-124/L	Dia. 25 32 38, Proj. 85 92 98, Length 1500 ctc 1300
BAH-124/M	Dia. 25 32 38, Proj. 85 92 98, Length 1600 ctc 1400
BAH-124/N	Dia. 25 32 38, Proj. 85 92 98, Length 1700 ctc 1500
BAH-124/O	Dia. 25 32 38, Proj. 85 92 98, Length 1800 ctc 1600
BAH-124/P	Dia. 25 32 38, Proj. 85 92 98, Length 1900 ctc 1700
BAH-124/Q	Dia. 25 32 38, Proj. 85 92 98, Length 2000 ctc 1800
BAH-124/R	Dia. 25 32 38, Proj. 85 92 98, Length 2100 ctc 1900
BAH-124/S	Dia. 25 32 38, Proj. 85 92 98, Length 2200 ctc 2000
BAH-124/T	Dia. 25 32 38, Proj. 85 92 98, Length 2300 ctc 2100
BAH-124/U	Dia. 25 32 38, Proj. 85 92 98, Length 2400 ctc 2200

Note: ø25 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
 ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
 Stand-off Size: ø25mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-124/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-126**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-126/A	Dia. 32 38,	Proj. 78 84,	Length 350	ctc 200
BAH-126/B	Dia. 32 38,	Proj. 78 84,	Length 450	ctc 300
BAH-126/C	Dia. 32 38,	Proj. 78 84,	Length 550	ctc 400
BAH-126/D	Dia. 32 38,	Proj. 78 84,	Length 650	ctc 500
BAH-126/E	Dia. 32 38,	Proj. 78 84,	Length 750	ctc 600
BAH-126/F	Dia. 32 38,	Proj. 78 84,	Length 850	ctc 700
BAH-126/G	Dia. 32 38,	Proj. 78 84,	Length 950	ctc 800
BAH-126/H	Dia. 32 38,	Proj. 78 84,	Length 1050	ctc 900
BAH-126/ I	Dia. 32 38,	Proj. 78 84,	Length 1150	ctc 1000
BAH-126/J	Dia. 32 38,	Proj. 78 84,	Length 1250	ctc 1100
BAH-126/K	Dia. 32 38,	Proj. 78 84,	Length 1350	ctc 1200
BAH-126/L	Dia. 32 38,	Proj. 78 84,	Length 1450	ctc 1300
BAH-126/M	Dia. 32 38,	Proj. 78 84,	Length 1550	ctc 1400
BAH-126/N	Dia. 32 38,	Proj. 78 84,	Length 1650	ctc 1500
BAH-126/O	Dia. 32 38,	Proj. 78 84,	Length 1750	ctc 1600
BAH-126/P	Dia. 32 38,	Proj. 78 84,	Length 1850	ctc 1700
BAH-126/Q	Dia. 32 38,	Proj. 78 84,	Length 1950	ctc 1800
BAH-126/R	Dia. 32 38,	Proj. 78 84,	Length 2050	ctc 1900
BAH-126/S	Dia. 32 38,	Proj. 78 84,	Length 2150	ctc 2000
BAH-126/T	Dia. 32 38,	Proj. 78 84,	Length 2250	ctc 2100
BAH-126/U	Dia. 32 38,	Proj. 78 84,	Length 2350	ctc 2200

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □32mm (not equi-distant - from ends)

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-126/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-127

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle




BAH-127/A	Dia. 32 38,	Proj. 78 84,	Length 300	ctc 200
BAH-127/B	Dia. 32 38,	Proj. 78 84,	Length 400	ctc 300
BAH-127/C	Dia. 32 38,	Proj. 78 84,	Length 500	ctc 400
BAH-127/D	Dia. 32 38,	Proj. 78 84,	Length 600	ctc 500
BAH-127/E	Dia. 32 38,	Proj. 78 84,	Length 700	ctc 600
BAH-127/F	Dia. 32 38,	Proj. 78 84,	Length 800	ctc 700
BAH-127/G	Dia. 32 38,	Proj. 78 84,	Length 900	ctc 800
BAH-127/H	Dia. 32 38,	Proj. 78 84,	Length 1000	ctc 900
BAH-127/ I	Dia. 32 38,	Proj. 78 84,	Length 1100	ctc 1000
BAH-127/J	Dia. 32 38,	Proj. 78 84,	Length 1200	ctc 1100
BAH-127/K	Dia. 32 38,	Proj. 78 84,	Length 1300	ctc 1200
BAH-127/L	Dia. 32 38,	Proj. 78 84,	Length 1400	ctc 1300
BAH-127/M	Dia. 32 38,	Proj. 78 84,	Length 1500	ctc 1400
BAH-127/N	Dia. 32 38,	Proj. 78 84,	Length 1600	ctc 1500
BAH-127/O	Dia. 32 38,	Proj. 78 84,	Length 1700	ctc 1600
BAH-127/P	Dia. 32 38,	Proj. 78 84,	Length 1800	ctc 1700
BAH-127/Q	Dia. 32 38,	Proj. 78 84,	Length 1900	ctc 1800
BAH-127/R	Dia. 32 38,	Proj. 78 84,	Length 2000	ctc 1900
BAH-127/S	Dia. 32 38,	Proj. 78 84,	Length 2100	ctc 2000
BAH-127/T	Dia. 32 38,	Proj. 78 84,	Length 2200	ctc 2100
BAH-127/U	Dia. 32 38,	Proj. 78 84,	Length 2300	ctc 2200

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □32mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-127/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-128****SSS PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-128/A	Dia. 32 38,	Proj. 78 84,	Length 350	ctc 200
BAH-128/B	Dia. 32 38,	Proj. 78 84,	Length 450	ctc 300
BAH-128/C	Dia. 32 38,	Proj. 78 84,	Length 550	ctc 400
BAH-128/D	Dia. 32 38,	Proj. 78 84,	Length 650	ctc 500
BAH-128/E	Dia. 32 38,	Proj. 78 84,	Length 750	ctc 600
BAH-128/F	Dia. 32 38,	Proj. 78 84,	Length 850	ctc 700
BAH-128/G	Dia. 32 38,	Proj. 78 84,	Length 950	ctc 800
BAH-128/H	Dia. 32 38,	Proj. 78 84,	Length 1050	ctc 900
BAH-128/ I	Dia. 32 38,	Proj. 78 84,	Length 1150	ctc 1000
BAH-128/J	Dia. 32 38,	Proj. 78 84,	Length 1250	ctc 1100
BAH-128/K	Dia. 32 38,	Proj. 78 84,	Length 1350	ctc 1200
BAH-128/L	Dia. 32 38,	Proj. 78 84,	Length 1450	ctc 1300
BAH-128/M	Dia. 32 38,	Proj. 78 84,	Length 1550	ctc 1400
BAH-128/N	Dia. 32 38,	Proj. 78 84,	Length 1650	ctc 1500
BAH-128/O	Dia. 32 38,	Proj. 78 84,	Length 1750	ctc 1600
BAH-128/P	Dia. 32 38,	Proj. 78 84,	Length 1850	ctc 1700
BAH-128/Q	Dia. 32 38,	Proj. 78 84,	Length 1950	ctc 1800
BAH-128/R	Dia. 32 38,	Proj. 78 84,	Length 2050	ctc 1900
BAH-128/S	Dia. 32 38,	Proj. 78 84,	Length 2150	ctc 2000
BAH-128/T	Dia. 32 38,	Proj. 78 84,	Length 2250	ctc 2100
BAH-128/U	Dia. 32 38,	Proj. 78 84,	Length 2350	ctc 2200


Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □32mm (not equi-distant - from ends)

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-128/A	32mm	G.Fix	SSS



Barben BAH-130 **SSS PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**



BAH-130/A	Dia. 32,	Proj. 92,	Length 450	ctc 100
BAH-130/B	Dia. 32,	Proj. 92,	Length 500	ctc 130

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-130/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-131

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-131/A Dia. 32, Proj. 92, Length 690 ctc 425

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-131/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-132

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-132/A Dia. 32, Proj. 92, Length 600 ctc 450

BAH-132/B Dia. 32, Proj. 92, Length 900 ctc 600

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-132/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-133****SSS PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-133/A	Dia. 25 32 38,	Proj. 85 92 98,	Length 500 ctc 200
BAH-133/B	Dia. 25 32 38,	Proj. 85 92 98,	Length 600 ctc 300
BAH-133/C	Dia. 25 32 38,	Proj. 85 92 98,	Length 700 ctc 400
BAH-133/D	Dia. 25 32 38,	Proj. 85 92 98,	Length 800 ctc 500
BAH-133/E	Dia. 25 32 38,	Proj. 85 92 98,	Length 900 ctc 600
BAH-133/F	Dia. 25 32 38,	Proj. 85 92 98,	Length 1000 ctc 700
BAH-133/G	Dia. 25 32 38,	Proj. 85 92 98,	Length 1100 ctc 800
BAH-133/H	Dia. 25 32 38,	Proj. 85 92 98,	Length 1200 ctc 900
BAH-133/ I	Dia. 25 32 38,	Proj. 85 92 98,	Length 1300 ctc 1000
BAH-133/J	Dia. 25 32 38,	Proj. 85 92 98,	Length 1400 ctc 1100
BAH-133/K	Dia. 25 32 38,	Proj. 85 92 98,	Length 1500 ctc 1200
BAH-133/L	Dia. 25 32 38,	Proj. 85 92 98,	Length 1600 ctc 1300
BAH-133/M	Dia. 25 32 38,	Proj. 85 92 98,	Length 1700 ctc 1400
BAH-133/N	Dia. 25 32 38,	Proj. 85 92 98,	Length 1800 ctc 1500
BAH-133/O	Dia. 25 32 38,	Proj. 85 92 98,	Length 1900 ctc 1600
BAH-133/P	Dia. 25 32 38,	Proj. 85 92 98,	Length 2000 ctc 1700
BAH-133/Q	Dia. 25 32 38,	Proj. 85 92 98,	Length 2100 ctc 1800
BAH-133/R	Dia. 25 32 38,	Proj. 85 92 98,	Length 2200 ctc 1900
BAH-133/S	Dia. 25 32 38,	Proj. 85 92 98,	Length 2300 ctc 2000
BAH-133/T	Dia. 25 32 38,	Proj. 85 92 98,	Length 2400 ctc 2100
BAH-133/U	Dia. 25 32 38,	Proj. 85 92 98,	Length 2500 ctc 2200

Note: ø25 Handles exceeding 1600 ctc. - are manufactured with a 3rd stand-off
 ø32 Handles exceeding 2200 ctc. - are manufactured with a 3rd stand-off
 Stand-off Size: ø25mm (not equi-distant - from ends)

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-133/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-134****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-134/A	Dia. 25 32 38, Proj. 85 92 98, Length 400 ctc 200
BAH-134/B	Dia. 25 32 38, Proj. 85 92 98, Length 500 ctc 300
BAH-134/C	Dia. 25 32 38, Proj. 85 92 98, Length 600 ctc 400
BAH-134/D	Dia. 25 32 38, Proj. 85 92 98, Length 700 ctc 500
BAH-134/E	Dia. 25 32 38, Proj. 85 92 98, Length 800 ctc 600
BAH-134/F	Dia. 25 32 38, Proj. 85 92 98, Length 900 ctc 700
BAH-134/G	Dia. 25 32 38, Proj. 85 92 98, Length 1000 ctc 800
BAH-134/H	Dia. 25 32 38, Proj. 85 92 98, Length 1100 ctc 900
BAH-134/I	Dia. 25 32 38, Proj. 85 92 98, Length 1200 ctc 1000
BAH-134/J	Dia. 25 32 38, Proj. 85 92 98, Length 1300 ctc 1100
BAH-134/K	Dia. 25 32 38, Proj. 85 92 98, Length 1400 ctc 1200
BAH-134/L	Dia. 25 32 38, Proj. 85 92 98, Length 1500 ctc 1300
BAH-134/M	Dia. 25 32 38, Proj. 85 92 98, Length 1600 ctc 1400
BAH-134/N	Dia. 25 32 38, Proj. 85 92 98, Length 1700 ctc 1500
BAH-134/O	Dia. 25 32 38, Proj. 85 92 98, Length 1800 ctc 1600
BAH-134/P	Dia. 25 32 38, Proj. 85 92 98, Length 1900 ctc 1700
BAH-134/Q	Dia. 25 32 38, Proj. 85 92 98, Length 2000 ctc 1800
BAH-134/R	Dia. 25 32 38, Proj. 85 92 98, Length 2100 ctc 1900
BAH-134/S	Dia. 25 32 38, Proj. 85 92 98, Length 2200 ctc 2000
BAH-134/T	Dia. 25 32 38, Proj. 85 92 98, Length 2300 ctc 2100
BAH-134/U	Dia. 25 32 38, Proj. 85 92 98, Length 2400 ctc 2200

Note: ø25 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
 ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
 Stand-off Size: ø25mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-134/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-135

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-135/A Dia. 32, Proj. 92, Length 670 ctc 380

BAH-135/B Dia. 32, Proj. 92, Length 930 ctc 635

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-135/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-136****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-136/A	Dia. 32 38,	Proj. 92 98,	Length 400	ctc 200
BAH-136/B	Dia. 32 38,	Proj. 92 98,	Length 500	ctc 300
BAH-136/C	Dia. 32 38,	Proj. 92 98,	Length 600	ctc 400
BAH-136/D	Dia. 32 38,	Proj. 92 98,	Length 700	ctc 500
BAH-136/E	Dia. 32 38,	Proj. 92 98,	Length 800	ctc 600
BAH-136/F	Dia. 32 38,	Proj. 92 98,	Length 900	ctc 700
BAH-136/G	Dia. 32 38,	Proj. 92 98,	Length 1000	ctc 800
BAH-136/H	Dia. 32 38,	Proj. 92 98,	Length 1100	ctc 900
BAH-136/I	Dia. 32 38,	Proj. 92 98,	Length 1200	ctc 1000
BAH-136/J	Dia. 32 38,	Proj. 92 98,	Length 1300	ctc 1100
BAH-136/K	Dia. 32 38,	Proj. 92 98,	Length 1400	ctc 1200
BAH-136/L	Dia. 32 38,	Proj. 92 98,	Length 1500	ctc 1300
BAH-136/M	Dia. 32 38,	Proj. 92 98,	Length 1600	ctc 1400
BAH-136/N	Dia. 32 38,	Proj. 92 98,	Length 1700	ctc 1500
BAH-136/O	Dia. 32 38,	Proj. 92 98,	Length 1800	ctc 1600
BAH-136/P	Dia. 32 38,	Proj. 92 98,	Length 1900	ctc 1700
BAH-136/Q	Dia. 32 38,	Proj. 92 98,	Length 2000	ctc 1800
BAH-136/R	Dia. 32 38,	Proj. 92 98,	Length 2100	ctc 1900
BAH-136/S	Dia. 32 38,	Proj. 92 98,	Length 2200	ctc 2000
BAH-136/T	Dia. 32 38,	Proj. 92 98,	Length 2300	ctc 2100
BAH-136/U	Dia. 32 38,	Proj. 92 98,	Length 2400	ctc 2200

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø38mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-136/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-137

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-137/A	Section 25x12, Proj. 84, Length 400 ctc 200
BAH-137/B	Section 25x12, Proj. 84, Length 500 ctc 300
BAH-137/C	Section 25x12, Proj. 84, Length 600 ctc 400
BAH-137/D	Section 25x12, Proj. 84, Length 700 ctc 500
BAH-137/E	Section 25x12, Proj. 84, Length 800 ctc 600
BAH-137/F	Section 25x12, Proj. 84, Length 900 ctc 700
BAH-137/G	Section 25x12, Proj. 84, Length 1000 ctc 800
BAH-137/H	Section 25x12, Proj. 84, Length 1100 ctc 900
BAH-137/ I	Section 25x12, Proj. 84, Length 1200 ctc 1000
BAH-137/J	Section 25x12, Proj. 84, Length 1300 ctc 1100
BAH-137/K	Section 25x12, Proj. 84, Length 1400 ctc 1200
BAH-137/L	Section 25x12, Proj. 84, Length 1500 ctc 1300
BAH-137/M	Section 25x12, Proj. 84, Length 1600 ctc 1400
BAH-137/N	Section 25x12, Proj. 84, Length 1700 ctc 1500
BAH-137/O	Section 25x12, Proj. 84, Length 1800 ctc 1600
BAH-137/P	Section 25x12, Proj. 84, Length 1900 ctc 1700
BAH-137/Q	Section 25x12, Proj. 84, Length 2000 ctc 1800
BAH-137/R	Section 25x12, Proj. 84, Length 2100 ctc 1900
BAH-137/S	Section 25x12, Proj. 84, Length 2200 ctc 2000
BAH-137/T	Section 25x12, Proj. 84, Length 2300 ctc 2100
BAH-137/U	Section 25x12, Proj. 84, Length 2400 ctc 2200

Note: 25x12 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm


HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-137/A	25 x 12	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-138****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

® 147624
Registered Design

BAH-138/A	Section 25x12, Proj. 78, Length 400 ctc 200
BAH-138/B	Section 25x12, Proj. 78, Length 500 ctc 300
BAH-138/C	Section 25x12, Proj. 78, Length 600 ctc 400
BAH-138/D	Section 25x12, Proj. 78, Length 700 ctc 500
BAH-138/E	Section 25x12, Proj. 78, Length 800 ctc 600
BAH-138/F	Section 25x12, Proj. 78, Length 900 ctc 700
BAH-138/G	Section 25x12, Proj. 78, Length 1000 ctc 800
BAH-138/H	Section 25x12, Proj. 78, Length 1100 ctc 900
BAH-138/I	Section 25x12, Proj. 78, Length 1200 ctc 1000
BAH-138/J	Section 25x12, Proj. 78, Length 1300 ctc 1100
BAH-138/K	Section 25x12, Proj. 78, Length 1400 ctc 1200
BAH-138/L	Section 25x12, Proj. 78, Length 1500 ctc 1300
BAH-138/M	Section 25x12, Proj. 78, Length 1600 ctc 1400
BAH-138/N	Section 25x12, Proj. 78, Length 1700 ctc 1500
BAH-138/O	Section 25x12, Proj. 78, Length 1800 ctc 1600
BAH-138/P	Section 25x12, Proj. 78, Length 1900 ctc 1700
BAH-138/Q	Section 25x12, Proj. 78, Length 2000 ctc 1800
BAH-138/R	Section 25x12, Proj. 78, Length 2100 ctc 1900
BAH-138/S	Section 25x12, Proj. 78, Length 2200 ctc 2000
BAH-138/T	Section 25x12, Proj. 78, Length 2300 ctc 2100
BAH-138/U	Section 25x12, Proj. 78, Length 2400 ctc 2200

Note: 25x12 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø25mm


HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-138/A	25 x 12	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-139****SSS PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-139/A	Square 32,	Proj. 92,	Length 400	ctc 200
BAH-139/B	Square 32,	Proj. 92,	Length 500	ctc 300
BAH-139/C	Square 32,	Proj. 92,	Length 600	ctc 400
BAH-139/D	Square 32,	Proj. 92,	Length 700	ctc 500
BAH-139/E	Square 32,	Proj. 92,	Length 800	ctc 600
BAH-139/F	Square 32,	Proj. 92,	Length 900	ctc 700
BAH-139/G	Square 32,	Proj. 92,	Length 1000	ctc 800
BAH-139/H	Square 32,	Proj. 92,	Length 1100	ctc 900
BAH-139/ I	Square 32,	Proj. 92,	Length 1200	ctc 1000
BAH-139/J	Square 32,	Proj. 92,	Length 1300	ctc 1100
BAH-139/K	Square 32,	Proj. 92,	Length 1400	ctc 1200
BAH-139/L	Square 32,	Proj. 92,	Length 1500	ctc 1300
BAH-139/M	Square 32,	Proj. 92,	Length 1600	ctc 1400
BAH-139/N	Square 32,	Proj. 92,	Length 1700	ctc 1500
BAH-139/O	Square 32,	Proj. 92,	Length 1800	ctc 1600
BAH-139/P	Square 32,	Proj. 92,	Length 1900	ctc 1700
BAH-139/Q	Square 32,	Proj. 92,	Length 2000	ctc 1800
BAH-139/R	Square 32,	Proj. 92,	Length 2100	ctc 1900
BAH-139/S	Square 32,	Proj. 92,	Length 2200	ctc 2000
BAH-139/T	Square 32,	Proj. 92,	Length 2300	ctc 2100
BAH-139/U	Square 32,	Proj. 92,	Length 2400	ctc 2200

Note: □ 32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø19mm


HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-139/A	32 mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-140****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-140/A	Square 32,	Proj. 92,	Length 400	ctc 200
BAH-140/B	Square 32,	Proj. 92,	Length 500	ctc 300
BAH-140/C	Square 32,	Proj. 92,	Length 600	ctc 400
BAH-140/D	Square 32,	Proj. 92,	Length 700	ctc 500
BAH-140/E	Square 32,	Proj. 92,	Length 800	ctc 600
BAH-140/F	Square 32,	Proj. 92,	Length 900	ctc 700
BAH-140/G	Square 32,	Proj. 92,	Length 1000	ctc 800
BAH-140/H	Square 32,	Proj. 92,	Length 1100	ctc 900
BAH-140/I	Square 32,	Proj. 92,	Length 1200	ctc 1000
BAH-140/J	Square 32,	Proj. 92,	Length 1300	ctc 1100
BAH-140/K	Square 32,	Proj. 92,	Length 1400	ctc 1200
BAH-140/L	Square 32,	Proj. 92,	Length 1500	ctc 1300
BAH-140/M	Square 32,	Proj. 92,	Length 1600	ctc 1400
BAH-140/N	Square 32,	Proj. 92,	Length 1700	ctc 1500
BAH-140/O	Square 32,	Proj. 92,	Length 1800	ctc 1600
BAH-140/P	Square 32,	Proj. 92,	Length 1900	ctc 1700
BAH-140/Q	Square 32,	Proj. 92,	Length 2000	ctc 1800
BAH-140/R	Square 32,	Proj. 92,	Length 2100	ctc 1900
BAH-140/S	Square 32,	Proj. 92,	Length 2200	ctc 2000
BAH-140/T	Square 32,	Proj. 92,	Length 2300	ctc 2100
BAH-140/U	Square 32,	Proj. 92,	Length 2400	ctc 2200

Note: □32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □25mm

HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-140/A	32 mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-141

SSS PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



® 147630
Registered Design

BAH-141/A	Square 32,	Proj. 78,	Length 400	ctc 200
BAH-141/B	Square 32,	Proj. 78,	Length 500	ctc 300
BAH-141/C	Square 32,	Proj. 78,	Length 600	ctc 400
BAH-141/D	Square 32,	Proj. 78,	Length 700	ctc 500
BAH-141/E	Square 32,	Proj. 78,	Length 800	ctc 600
BAH-141/F	Square 32,	Proj. 78,	Length 900	ctc 700
BAH-141/G	Square 32,	Proj. 78,	Length 1000	ctc 800
BAH-141/H	Square 32,	Proj. 78,	Length 1100	ctc 900
BAH-141/I	Square 32,	Proj. 78,	Length 1200	ctc 1000
BAH-141/J	Square 32,	Proj. 78,	Length 1300	ctc 1100
BAH-141/K	Square 32,	Proj. 78,	Length 1400	ctc 1200
BAH-141/L	Square 32,	Proj. 78,	Length 1500	ctc 1300
BAH-141/M	Square 32,	Proj. 78,	Length 1600	ctc 1400
BAH-141/N	Square 32,	Proj. 78,	Length 1700	ctc 1500
BAH-141/O	Square 32,	Proj. 78,	Length 1800	ctc 1600
BAH-141/P	Square 32,	Proj. 78,	Length 1900	ctc 1700
BAH-141/Q	Square 32,	Proj. 78,	Length 2000	ctc 1800
BAH-141/R	Square 32,	Proj. 78,	Length 2100	ctc 1900
BAH-141/S	Square 32,	Proj. 78,	Length 2200	ctc 2000
BAH-141/T	Square 32,	Proj. 78,	Length 2300	ctc 2100
BAH-141/U	Square 32,	Proj. 78,	Length 2400	ctc 2200

Note: □32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □25mm

HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-141/A	32 mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-142

SSS PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



® 147626
Registered Design

BAH-142/A	Square	25,	Proj.	85,	Length	400	ctc	200
BAH-142/B	Square	25,	Proj.	85,	Length	500	ctc	300
BAH-142/C	Square	25,	Proj.	85,	Length	600	ctc	400
BAH-142/D	Square	25,	Proj.	85,	Length	700	ctc	500
BAH-142/E	Square	25,	Proj.	85,	Length	800	ctc	600
BAH-142/F	Square	25,	Proj.	85,	Length	900	ctc	700
BAH-142/G	Square	25,	Proj.	85,	Length	1000	ctc	800
BAH-142/H	Square	25,	Proj.	85,	Length	1100	ctc	900
BAH-142/ I	Square	25,	Proj.	85,	Length	1200	ctc	1000
BAH-142/J	Square	25,	Proj.	85,	Length	1300	ctc	1100
BAH-142/K	Square	25,	Proj.	85,	Length	1400	ctc	1200
BAH-142/L	Square	25,	Proj.	85,	Length	1500	ctc	1300
BAH-142/M	Square	25,	Proj.	85,	Length	1600	ctc	1400
BAH-142/N	Square	25,	Proj.	85,	Length	1700	ctc	1500
BAH-142/O	Square	25,	Proj.	85,	Length	1800	ctc	1600
BAH-142/P	Square	25,	Proj.	85,	Length	1900	ctc	1700
BAH-142/Q	Square	25,	Proj.	85,	Length	2000	ctc	1800
BAH-142/R	Square	25,	Proj.	85,	Length	2100	ctc	1900
BAH-142/S	Square	25,	Proj.	85,	Length	2200	ctc	2000
BAH-142/T	Square	25,	Proj.	85,	Length	2300	ctc	2100
BAH-142/U	Square	25,	Proj.	85,	Length	2400	ctc	2200

Note: □25 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □25mm


HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-142/A	25 mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-143**

(all dimensions - are in millimetres)

Entry Door Pull Handle

® 147627
Registered Design

BAH-143/A	Square	25,	Proj.	78,	Length	400	ctc	200
BAH-143/B	Square	25,	Proj.	78,	Length	500	ctc	300
BAH-143/C	Square	25,	Proj.	78,	Length	600	ctc	400
BAH-143/D	Square	25,	Proj.	78,	Length	700	ctc	500
BAH-143/E	Square	25,	Proj.	78,	Length	800	ctc	600
BAH-143/F	Square	25,	Proj.	78,	Length	900	ctc	700
BAH-143/G	Square	25,	Proj.	78,	Length	1000	ctc	800
BAH-143/H	Square	25,	Proj.	78,	Length	1100	ctc	900
BAH-143/I	Square	25,	Proj.	78,	Length	1200	ctc	1000
BAH-143/J	Square	25,	Proj.	78,	Length	1300	ctc	1100
BAH-143/K	Square	25,	Proj.	78,	Length	1400	ctc	1200
BAH-143/L	Square	25,	Proj.	78,	Length	1500	ctc	1300
BAH-143/M	Square	25,	Proj.	78,	Length	1600	ctc	1400
BAH-143/N	Square	25,	Proj.	78,	Length	1700	ctc	1500
BAH-143/O	Square	25,	Proj.	78,	Length	1800	ctc	1600
BAH-143/P	Square	25,	Proj.	78,	Length	1900	ctc	1700
BAH-143/Q	Square	25,	Proj.	78,	Length	2000	ctc	1800
BAH-143/R	Square	25,	Proj.	78,	Length	2100	ctc	1900
BAH-143/S	Square	25,	Proj.	78,	Length	2200	ctc	2000
BAH-143/T	Square	25,	Proj.	78,	Length	2300	ctc	2100
BAH-143/U	Square	25,	Proj.	78,	Length	2400	ctc	2200

Note: □25 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □25mm


HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-143/A	25 mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-144****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-144/A	Dia. 32 38,	Proj. 92 98,	Length 400	ctc 200
BAH-144/B	Dia. 32 38,	Proj. 92 98,	Length 500	ctc 300
BAH-144/C	Dia. 32 38,	Proj. 92 98,	Length 600	ctc 400
BAH-144/D	Dia. 32 38,	Proj. 92 98,	Length 700	ctc 500
BAH-144/E	Dia. 32 38,	Proj. 92 98,	Length 800	ctc 600
BAH-144/F	Dia. 32 38,	Proj. 92 98,	Length 900	ctc 700
BAH-144/G	Dia. 32 38,	Proj. 92 98,	Length 1000	ctc 800
BAH-144/H	Dia. 32 38,	Proj. 92 98,	Length 1100	ctc 900
BAH-144/ I	Dia. 32 38,	Proj. 92 98,	Length 1200	ctc 1000
BAH-144/J	Dia. 32 38,	Proj. 92 98,	Length 1300	ctc 1100
BAH-144/K	Dia. 32 38,	Proj. 92 98,	Length 1400	ctc 1200
BAH-144/L	Dia. 32 38,	Proj. 92 98,	Length 1500	ctc 1300
BAH-144/M	Dia. 32 38,	Proj. 92 98,	Length 1600	ctc 1400
BAH-144/N	Dia. 32 38,	Proj. 92 98,	Length 1700	ctc 1500
BAH-144/O	Dia. 32 38,	Proj. 92 98,	Length 1800	ctc 1600
BAH-144/P	Dia. 32 38,	Proj. 92 98,	Length 1900	ctc 1700
BAH-144/Q	Dia. 32 38,	Proj. 92 98,	Length 2000	ctc 1800
BAH-144/R	Dia. 32 38,	Proj. 92 98,	Length 2100	ctc 1900
BAH-144/S	Dia. 32 38,	Proj. 92 98,	Length 2200	ctc 2000
BAH-144/T	Dia. 32 38,	Proj. 92 98,	Length 2300	ctc 2100
BAH-144/U	Dia. 32 38,	Proj. 92 98,	Length 2400	ctc 2200

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø32mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-144/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-145****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

® 147628
Registered Design

BAH-145/A	Section 25x12, Proj. 84, Length 400 ctc 200
BAH-145/B	Section 25x12, Proj. 84, Length 500 ctc 300
BAH-145/C	Section 25x12, Proj. 84, Length 600 ctc 400
BAH-145/D	Section 25x12, Proj. 84, Length 700 ctc 500
BAH-145/E	Section 25x12, Proj. 84, Length 800 ctc 600
BAH-145/F	Section 25x12, Proj. 84, Length 900 ctc 700
BAH-145/G	Section 25x12, Proj. 84, Length 1000 ctc 800
BAH-145/H	Section 25x12, Proj. 84, Length 1100 ctc 900
BAH-145/ I	Section 25x12, Proj. 84, Length 1200 ctc 1000
BAH-145/J	Section 25x12, Proj. 84, Length 1300 ctc 1100
BAH-145/K	Section 25x12, Proj. 84, Length 1400 ctc 1200
BAH-145/L	Section 25x12, Proj. 84, Length 1500 ctc 1300
BAH-145/M	Section 25x12, Proj. 84, Length 1600 ctc 1400
BAH-145/N	Section 25x12, Proj. 84, Length 1700 ctc 1500
BAH-145/O	Section 25x12, Proj. 84, Length 1800 ctc 1600
BAH-145/P	Section 25x12, Proj. 84, Length 1900 ctc 1700
BAH-145/Q	Section 25x12, Proj. 84, Length 2000 ctc 1800
BAH-145/R	Section 25x12, Proj. 84, Length 2100 ctc 1900
BAH-145/S	Section 25x12, Proj. 84, Length 2200 ctc 2000
BAH-145/T	Section 25x12, Proj. 84, Length 2300 ctc 2100
BAH-145/U	Section 25x12, Proj. 84, Length 2400 ctc 2200

Note: 25x12 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □ 25mm

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-145/A	25 x 12	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-146****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

® 147629
Registered Design

BAH-146/A	Section 25x12, Proj. 78, Length 400 ctc 200
BAH-146/B	Section 25x12, Proj. 78, Length 500 ctc 300
BAH-146/C	Section 25x12, Proj. 78, Length 600 ctc 400
BAH-146/D	Section 25x12, Proj. 78, Length 700 ctc 500
BAH-146/E	Section 25x12, Proj. 78, Length 800 ctc 600
BAH-146/F	Section 25x12, Proj. 78, Length 900 ctc 700
BAH-146/G	Section 25x12, Proj. 78, Length 1000 ctc 800
BAH-146/H	Section 25x12, Proj. 78, Length 1100 ctc 900
BAH-146/ I	Section 25x12, Proj. 78, Length 1200 ctc 1000
BAH-146/J	Section 25x12, Proj. 78, Length 1300 ctc 1100
BAH-146/K	Section 25x12, Proj. 78, Length 1400 ctc 1200
BAH-146/L	Section 25x12, Proj. 78, Length 1500 ctc 1300
BAH-146/M	Section 25x12, Proj. 78, Length 1600 ctc 1400
BAH-146/N	Section 25x12, Proj. 78, Length 1700 ctc 1500
BAH-146/O	Section 25x12, Proj. 78, Length 1800 ctc 1600
BAH-146/P	Section 25x12, Proj. 78, Length 1900 ctc 1700
BAH-146/Q	Section 25x12, Proj. 78, Length 2000 ctc 1800
BAH-146/R	Section 25x12, Proj. 78, Length 2100 ctc 1900
BAH-146/S	Section 25x12, Proj. 78, Length 2200 ctc 2000
BAH-146/T	Section 25x12, Proj. 78, Length 2300 ctc 2100
BAH-146/U	Section 25x12, Proj. 78, Length 2400 ctc 2200

Note: 25x12 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □25mm


HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-146/A	25 x 12	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-147****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-147/A	Dia. 25 32 38,	Proj. 90 97 103,	Length 400	ctc 200
BAH-147/B	Dia. 25 32 38,	Proj. 90 97 103,	Length 500	ctc 300
BAH-147/C	Dia. 25 32 38,	Proj. 90 97 103,	Length 600	ctc 400
BAH-147/D	Dia. 25 32 38,	Proj. 90 97 103,	Length 700	ctc 500
BAH-147/E	Dia. 25 32 38,	Proj. 90 97 103,	Length 800	ctc 600
BAH-147/F	Dia. 25 32 38,	Proj. 90 97 103,	Length 900	ctc 700
BAH-147/G	Dia. 25 32 38,	Proj. 90 97 103,	Length 1000	ctc 800
BAH-147/H	Dia. 25 32 38,	Proj. 90 97 103,	Length 1100	ctc 900
BAH-147/ I	Dia. 25 32 38,	Proj. 90 97 103,	Length 1200	ctc 1000
BAH-147/J	Dia. 25 32 38,	Proj. 90 97 103,	Length 1300	ctc 1100
BAH-147/K	Dia. 25 32 38,	Proj. 90 97 103,	Length 1400	ctc 1200
BAH-147/L	Dia. 25 32 38,	Proj. 90 97 103,	Length 1500	ctc 1300
BAH-147/M	Dia. 25 32 38,	Proj. 90 97 103,	Length 1600	ctc 1400
BAH-147/N	Dia. 25 32 38,	Proj. 90 97 103,	Length 1700	ctc 1500
BAH-147/O	Dia. 25 32 38,	Proj. 90 97 103,	Length 1800	ctc 1600
BAH-147/P	Dia. 25 32 38,	Proj. 90 97 103,	Length 1900	ctc 1700
BAH-147/Q	Dia. 25 32 38,	Proj. 90 97 103,	Length 2000	ctc 1800
BAH-147/R	Dia. 25 32 38,	Proj. 90 97 103,	Length 2100	ctc 1900
BAH-147/S	Dia. 25 32 38,	Proj. 90 97 103,	Length 2200	ctc 2000
BAH-147/T	Dia. 25 32 38,	Proj. 90 97 103,	Length 2300	ctc 2100
BAH-147/U	Dia. 25 32 38,	Proj. 90 97 103,	Length 2400	ctc 2200

Note: ø25 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
 ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
 Stand-off Size: ø25mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-147/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-148 **SSS** **PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**



BAH-148/A	Dia. 32 38,	Proj. 97 103,	Length 400	ctc 200
BAH-148/B	Dia. 32 38,	Proj. 97 103,	Length 500	ctc 300
BAH-148/C	Dia. 32 38,	Proj. 97 103,	Length 600	ctc 400
BAH-148/D	Dia. 32 38,	Proj. 97 103,	Length 700	ctc 500
BAH-148/E	Dia. 32 38,	Proj. 97 103,	Length 800	ctc 600
BAH-148/F	Dia. 32 38,	Proj. 97 103,	Length 900	ctc 700
BAH-148/G	Dia. 32 38,	Proj. 97 103,	Length 1000	ctc 800
BAH-148/H	Dia. 32 38,	Proj. 97 103,	Length 1100	ctc 900
BAH-148/ I	Dia. 32 38,	Proj. 97 103,	Length 1200	ctc 1000
BAH-148/J	Dia. 32 38,	Proj. 97 103,	Length 1300	ctc 1100
BAH-148/K	Dia. 32 38,	Proj. 97 103,	Length 1400	ctc 1200
BAH-148/L	Dia. 32 38,	Proj. 97 103,	Length 1500	ctc 1300
BAH-148/M	Dia. 32 38,	Proj. 97 103,	Length 1600	ctc 1400
BAH-148/N	Dia. 32 38,	Proj. 97 103,	Length 1700	ctc 1500
BAH-148/O	Dia. 32 38,	Proj. 97 103,	Length 1800	ctc 1600
BAH-148/P	Dia. 32 38,	Proj. 97 103,	Length 1900	ctc 1700
BAH-148/Q	Dia. 32 38,	Proj. 97 103,	Length 2000	ctc 1800
BAH-148/R	Dia. 32 38,	Proj. 97 103,	Length 2100	ctc 1900
BAH-148/S	Dia. 32 38,	Proj. 97 103,	Length 2200	ctc 2000
BAH-148/T	Dia. 32 38,	Proj. 97 103,	Length 2300	ctc 2100
BAH-148/U	Dia. 32 38,	Proj. 97 103,	Length 2400	ctc 2200

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø32mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-148/A	32mm	G.Fix (see Fixing Page)	SSS




Barben BAH-149

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle




BAH-149/A	RHS	50x25,	Proj.	85,	Length	325	ctc	300
BAH-149/B	RHS	50x25,	Proj.	85,	Length	475	ctc	450
BAH-149/C	RHS	50x25,	Proj.	85,	Length	625	ctc	600
BAH-149/D	RHS	50x25,	Proj.	85,	Length	725	ctc	700
BAH-149/E	RHS	50x25,	Proj.	85,	Length	825	ctc	800
BAH-149/F	RHS	50x25,	Proj.	85,	Length	925	ctc	900
BAH-149/G	RHS	50x25,	Proj.	85,	Length	1025	ctc	1000
BAH-149/H	RHS	50x25,	Proj.	85,	Length	1125	ctc	1100
BAH-149/ I	RHS	50x25,	Proj.	85,	Length	1225	ctc	1200
BAH-149/J	RHS	50x25,	Proj.	85,	Length	1325	ctc	1300
BAH-149/K	RHS	50x25,	Proj.	85,	Length	1425	ctc	1400
BAH-149/L	RHS	50x25,	Proj.	85,	Length	1525	ctc	1500
BAH-149/M	RHS	50x25,	Proj.	85,	Length	1625	ctc	1600
BAH-149/N	RHS	50x25,	Proj.	85,	Length	1725	ctc	1700
BAH-149/O	RHS	50x25,	Proj.	85,	Length	1825	ctc	1800
BAH-149/P	RHS	50x25,	Proj.	85,	Length	1925	ctc	1900
BAH-149/Q	RHS	50x25,	Proj.	85,	Length	2025	ctc	2000
BAH-149/R	RHS	50x25,	Proj.	85,	Length	2125	ctc	2100
BAH-149/S	RHS	50x25,	Proj.	85,	Length	2225	ctc	2200
BAH-149/T	RHS	50x25,	Proj.	85,	Length	2325	ctc	2300
BAH-149/U	RHS	50x25,	Proj.	85,	Length	2425	ctc	2400

HOW TO SPECIFY

Product Code	Section	Fixing	(see Fixing Page)	Finish
eg: BAH-149/A	50 x 25	G.Fix		SSS

**Barben BAH-150**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-150/A	Square	19,25,32,	Proj. 79,85,92	Length	325	ctc	300
BAH-150/B	Square	19,25,32,	Proj. 79,85,92	Length	475	ctc	450
BAH-150/C	Square	19,25,32,	Proj. 79,85,92	Length	625	ctc	600
BAH-150/D	Square	19,25,32,	Proj. 79,85,92	Length	725	ctc	700
BAH-150/E	Square	19,25,32,	Proj. 79,85,92	Length	825	ctc	800
BAH-150/F	Square	19,25,32,	Proj. 79,85,92	Length	925	ctc	900
BAH-150/G	Square	19,25,32,	Proj. 79,85,92	Length	1025	ctc	1000
BAH-150/H	Square	19,25,32,	Proj. 79,85,92	Length	1125	ctc	1100
BAH-150/ I	Square	19,25,32,	Proj. 79,85,92	Length	1225	ctc	1200
BAH-150/J	Square	19,25,32,	Proj. 79,85,92	Length	1325	ctc	1300
BAH-150/K	Square	19,25,32,	Proj. 79,85,92	Length	1425	ctc	1400
BAH-150/L	Square	19,25,32,	Proj. 79,85,92	Length	1525	ctc	1500
BAH-150/M	Square	19,25,32,	Proj. 79,85,92	Length	1625	ctc	1600
BAH-150/N	Square	19,25,32,	Proj. 79,85,92	Length	1725	ctc	1700
BAH-150/O	Square	19,25,32,	Proj. 79,85,92	Length	1825	ctc	1800
BAH-150/P	Square	19,25,32,	Proj. 79,85,92	Length	1925	ctc	1900
BAH-150/Q	Square	19,25,32,	Proj. 79,85,92	Length	2025	ctc	2000
BAH-150/R	Square	19,25,32,	Proj. 79,85,92	Length	2125	ctc	2100
BAH-150/S	Square	19,25,32,	Proj. 79,85,92	Length	2225	ctc	2200
BAH-150/T	Square	19,25,32,	Proj. 79,85,92	Length	2325	ctc	2300
BAH-150/U	Square	19,25,32,	Proj. 79,85,92	Length	2425	ctc	2400

Note: □19mm & □25mm Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
□32mm Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off

HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-150/A	25 mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-155

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-155/A	Square	25,	Proj.	85,	Length	325	ctc	300
BAH-155/B	Square	25,	Proj.	85,	Length	475	ctc	450
BAH-155/C	Square	25,	Proj.	85,	Length	625	ctc	600
BAH-155/D	Square	25,	Proj.	85,	Length	725	ctc	700
BAH-155/E	Square	25,	Proj.	85,	Length	825	ctc	800
BAH-155/F	Square	25,	Proj.	85,	Length	925	ctc	900
BAH-155/G	Square	25,	Proj.	85,	Length	1025	ctc	1000
BAH-155/H	Square	25,	Proj.	85,	Length	1125	ctc	1100
BAH-155/I	Square	25,	Proj.	85,	Length	1225	ctc	1200
BAH-155/J	Square	25,	Proj.	85,	Length	1325	ctc	1300
BAH-155/K	Square	25,	Proj.	85,	Length	1425	ctc	1400
BAH-155/L	Square	25,	Proj.	85,	Length	1525	ctc	1500
BAH-155/M	Square	25,	Proj.	85,	Length	1625	ctc	1600
BAH-155/N	Square	25,	Proj.	85,	Length	1725	ctc	1700
BAH-155/O	Square	25,	Proj.	85,	Length	1825	ctc	1800
BAH-155/P	Square	25,	Proj.	85,	Length	1925	ctc	1900
BAH-155/Q	Square	25,	Proj.	85,	Length	2025	ctc	2000
BAH-155/R	Square	25,	Proj.	85,	Length	2125	ctc	2100
BAH-155/S	Square	25,	Proj.	85,	Length	2225	ctc	2200
BAH-155/T	Square	25,	Proj.	85,	Length	2325	ctc	2300
BAH-155/U	Square	25,	Proj.	85,	Length	2425	ctc	2400

Note: □ 25mm Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off


HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-155/A	25 mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-156 **SSS** **PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**




BAH-156/A	Square 16,	Proj. 56,	Length 316	ctc 300
BAH-156/B	Square 16,	Proj. 56,	Length 466	ctc 450
BAH-156/C	Square 16,	Proj. 56,	Length 616	ctc 600
BAH-156/D	Square 16,	Proj. 56,	Length 916	ctc 900

Note: Handles being fixed to glass will require stainless steel washers
Please specify

HOW TO SPECIFY

Product Code	Square	Fixing	(see Fixing Page)	Finish
eg: BAH-156/A	16 mm	G.Fix		SSS




Barben BAH-157

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-157/A Section 25x12, Proj. 52, Length 312 ctc 300

BAH-157/B Section 25x12, Proj. 52, Length 462 ctc 450

BAH-157/C Section 25x12 Proj. 52, Length 612 ctc 600

BAH-157/D Section 25x12, Proj. 52, Length 912 ctc 900

**Note: Handles being fixed to glass will require stainless steel washers
Please specify**

HOW TO SPECIFY

Product Code	Section	Fixing	(see Fixing Page)	Finish
eg: BAH-157/A	25 x 12	G.Fix		SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-158



(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-158/A	Dia. 16 19,	Proj. 76 79,	Length 300	ctc 200
BAH-158/B	Dia. 16 19,	Proj. 76 79,	Length 400	ctc 300
BAH-158/C	Dia. 16 19,	Proj. 76 79,	Length 500	ctc 400
BAH-158/D	Dia. 16 19,	Proj. 76 79,	Length 600	ctc 500
BAH-158/E	Dia. 16 19,	Proj. 76 79,	Length 700	ctc 600
BAH-158/F	Dia. 16 19,	Proj. 76 79,	Length 800	ctc 700
BAH-158/G	Dia. 16 19,	Proj. 76 79,	Length 900	ctc 800
BAH-158/H	Dia. 16 19,	Proj. 76 79,	Length 1000	ctc 900
BAH-158/I	Dia. 16 19,	Proj. 76 79,	Length 1100	ctc 1000
BAH-158/J	Dia. 16 19,	Proj. 76 79,	Length 1200	ctc 1100
BAH-158/K	Dia. 16 19,	Proj. 76 79,	Length 1300	ctc 1200
BAH-158/L	Dia. 16 19,	Proj. 76 79,	Length 1400	ctc 1300
BAH-158/M	Dia. 16 19,	Proj. 76 79,	Length 1500	ctc 1400


**Note: Handles being fixed to glass will require stainless steel washers
Please specify**

HOW TO SPECIFY

Product Code	Diameter	Fixing	(see Fixing Page)	Finish
eg: BAH-158/A	16 mm	G.Fix		SSS



Barben BAH-159 **SSS PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**



BAH-159/A	Dia. 19,	Proj. 79,	Length 300	ctc 200
BAH-159/B	Dia. 19,	Proj. 79,	Length 400	ctc 300
BAH-159/C	Dia. 19,	Proj. 79,	Length 500	ctc 400
BAH-159/D	Dia. 19,	Proj. 79,	Length 600	ctc 500
BAH-159/E	Dia. 19,	Proj. 79,	Length 700	ctc 600
BAH-159/F	Dia. 19,	Proj. 79,	Length 800	ctc 700
BAH-159/G	Dia. 19,	Proj. 79,	Length 900	ctc 800
BAH-159/H	Dia. 19,	Proj. 79,	Length 1000	ctc 900
BAH-159/ I	Dia. 19,	Proj. 79,	Length 1100	ctc 1000
BAH-159/J	Dia. 19,	Proj. 79,	Length 1200	ctc 1100
BAH-159/K	Dia. 19,	Proj. 79,	Length 1300	ctc 1200
BAH-159/L	Dia. 19,	Proj. 79,	Length 1400	ctc 1300
BAH-159/M	Dia. 19,	Proj. 79,	Length 1500	ctc 1400

**Note: Handles being fixed to glass will require stainless steel washers
Please specify**

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-159/A	19mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-160

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-160/A	Dia. 16 19,	Proj. 76 79,	Length 400	ctc 200
BAH-160/B	Dia. 16 19,	Proj. 76 79,	Length 500	ctc 300
BAH-160/C	Dia. 16 19,	Proj. 76 79,	Length 600	ctc 400
BAH-160/D	Dia. 16 19,	Proj. 76 79,	Length 700	ctc 500
BAH-160/E	Dia. 16 19,	Proj. 76 79,	Length 800	ctc 600
BAH-160/F	Dia. 16 19,	Proj. 76 79,	Length 900	ctc 700
BAH-160/G	Dia. 16 19,	Proj. 76 79,	Length 1000	ctc 800
BAH-160/H	Dia. 16 19,	Proj. 76 79,	Length 1100	ctc 900
BAH-160/ I	Dia. 16 19,	Proj. 76 79,	Length 1200	ctc 1000
BAH-160/J	Dia. 16 19,	Proj. 76 79,	Length 1300	ctc 1100
BAH-160/K	Dia. 16 19,	Proj. 76 79,	Length 1400	ctc 1200
BAH-160/L	Dia. 16 19,	Proj. 76 79,	Length 1500	ctc 1300

**Note: Handles being fixed to glass will require stainless steel washers
Please specify**

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-160/A	19mm	(see Fixing Page) G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-161

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-161/A	Dia. 16 19, Proj. 76 79, Length 400 ctc 200
BAH-161/B	Dia. 16 19, Proj. 76 79, Length 500 ctc 300
BAH-161/C	Dia. 16 19, Proj. 76 79, Length 600 ctc 400
BAH-161/D	Dia. 16 19, Proj. 76 79, Length 700 ctc 500
BAH-161/E	Dia. 16 19, Proj. 76 79, Length 800 ctc 600
BAH-161/F	Dia. 16 19, Proj. 76 79, Length 900 ctc 700
BAH-161/G	Dia. 16 19, Proj. 76 79, Length 1000 ctc 800
BAH-161/H	Dia. 16 19, Proj. 76 79, Length 1100 ctc 900
BAH-161/I	Dia. 16 19, Proj. 76 79, Length 1200 ctc 1000
BAH-161/J	Dia. 16 19, Proj. 76 79, Length 1300 ctc 1100
BAH-161/K	Dia. 16 19, Proj. 76 79, Length 1400 ctc 1200
BAH-161/L	Dia. 16 19, Proj. 76 79, Length 1500 ctc 1300


**Note: Handles being fixed to glass will require stainless steel washers
Please specify**

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-161/A	19mm	(see Fixing Page) G.Fix	SSS

**Barben BAH-162****SSS PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-162/A	Dia. 32,	Proj. 82,	Length 300	ctc 200
BAH-162/B	Dia. 32,	Proj. 82,	Length 400	ctc 300
BAH-162/C	Dia. 32,	Proj. 82,	Length 500	ctc 400
BAH-162/D	Dia. 32,	Proj. 82,	Length 600	ctc 500
BAH-162/E	Dia. 32,	Proj. 82,	Length 700	ctc 600
BAH-162/F	Dia. 32,	Proj. 82,	Length 800	ctc 700
BAH-162/G	Dia. 32,	Proj. 82,	Length 900	ctc 800
BAH-162/H	Dia. 32,	Proj. 82,	Length 1000	ctc 900
BAH-162/ I	Dia. 32,	Proj. 82,	Length 1100	ctc 1000
BAH-162/J	Dia. 32,	Proj. 82,	Length 1200	ctc 1100
BAH-162/K	Dia. 32,	Proj. 82,	Length 1300	ctc 1200
BAH-162/L	Dia. 32,	Proj. 82,	Length 1400	ctc 1300
BAH-162/M	Dia. 32,	Proj. 82,	Length 1500	ctc 1400
BAH-162/N	Dia. 32,	Proj. 82,	Length 1600	ctc 1500
BAH-162/O	Dia. 32,	Proj. 82,	Length 1700	ctc 1600
BAH-162/P	Dia. 32,	Proj. 82,	Length 1800	ctc 1700
BAH-162/Q	Dia. 32,	Proj. 82,	Length 1900	ctc 1800
BAH-162/R	Dia. 32,	Proj. 82,	Length 2000	ctc 1900
BAH-162/S	Dia. 32,	Proj. 82,	Length 2100	ctc 2000
BAH-162/T	Dia. 32,	Proj. 82,	Length 2200	ctc 2100
BAH-162/U	Dia. 32,	Proj. 82,	Length 2300	ctc 2200
BAH-162/V	Dia. 32,	Proj. 82,	Length 2400	ctc 2300

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □ 25mm x 38mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-162/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-163

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-163/A	Dia. 19,	Proj. 64,	Length 300	ctc 200
BAH-163/B	Dia. 19,	Proj. 64,	Length 400	ctc 300
BAH-163/C	Dia. 19,	Proj. 64,	Length 500	ctc 400
BAH-163/D	Dia. 19,	Proj. 64,	Length 600	ctc 500
BAH-163/E	Dia. 19,	Proj. 64,	Length 700	ctc 600
BAH-163/F	Dia. 19,	Proj. 64,	Length 800	ctc 700
BAH-163/G	Dia. 19,	Proj. 64,	Length 900	ctc 800
BAH-163/H	Dia. 19,	Proj. 64,	Length 1000	ctc 900
BAH-163/ I	Dia. 19,	Proj. 64,	Length 1100	ctc 1000
BAH-163/J	Dia. 19,	Proj. 64,	Length 1200	ctc 1100
BAH-163/K	Dia. 19,	Proj. 64,	Length 1300	ctc 1200
BAH-163/L	Dia. 19,	Proj. 64,	Length 1400	ctc 1300
BAH-163/M	Dia. 19,	Proj. 64,	Length 1500	ctc 1400
BAH-163/N	Dia. 19,	Proj. 64,	Length 1600	ctc 1500
BAH-163/O	Dia. 19,	Proj. 64,	Length 1700	ctc 1600
BAH-163/P	Dia. 19,	Proj. 64,	Length 1800	ctc 1700
BAH-163/Q	Dia. 19,	Proj. 64,	Length 1900	ctc 1800
BAH-163/R	Dia. 19,	Proj. 64,	Length 2000	ctc 1900
BAH-163/S	Dia. 19,	Proj. 64,	Length 2100	ctc 2000
BAH-163/T	Dia. 19,	Proj. 64,	Length 2200	ctc 2100
BAH-163/U	Dia. 19,	Proj. 64,	Length 2300	ctc 2200
BAH-163/V	Dia. 19,	Proj. 64,	Length 2400	ctc 2300

Note: ø19 Handles exceeding 1400 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □ 16mm x 25mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-163/A	19mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-164****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-164/A	Dia. 32,	Proj. 92,	Length 300	ctc 200
BAH-164/B	Dia. 32,	Proj. 92,	Length 400	ctc 300
BAH-164/C	Dia. 32,	Proj. 92,	Length 500	ctc 400
BAH-164/D	Dia. 32,	Proj. 92,	Length 600	ctc 500
BAH-164/E	Dia. 32,	Proj. 92,	Length 700	ctc 600
BAH-164/F	Dia. 32,	Proj. 92,	Length 800	ctc 700
BAH-164/G	Dia. 32,	Proj. 92,	Length 900	ctc 800
BAH-164/H	Dia. 32,	Proj. 92,	Length 1000	ctc 900
BAH-164/ I	Dia. 32,	Proj. 92,	Length 1100	ctc 1000
BAH-164/J	Dia. 32,	Proj. 92,	Length 1200	ctc 1100
BAH-164/K	Dia. 32,	Proj. 92,	Length 1300	ctc 1200
BAH-164/L	Dia. 32,	Proj. 92,	Length 1400	ctc 1300
BAH-164/M	Dia. 32,	Proj. 92,	Length 1500	ctc 1400
BAH-164/N	Dia. 32,	Proj. 92,	Length 1600	ctc 1500
BAH-164/O	Dia. 32,	Proj. 92,	Length 1700	ctc 1600
BAH-164/P	Dia. 32,	Proj. 92,	Length 1800	ctc 1700
BAH-164/Q	Dia. 32,	Proj. 92,	Length 1900	ctc 1800
BAH-164/R	Dia. 32,	Proj. 92,	Length 2000	ctc 1900
BAH-164/S	Dia. 32,	Proj. 92,	Length 2100	ctc 2000
BAH-164/T	Dia. 32,	Proj. 92,	Length 2200	ctc 2100
BAH-164/U	Dia. 32,	Proj. 92,	Length 2300	ctc 2200
BAH-164/V	Dia. 32,	Proj. 92,	Length 2400	ctc 2300

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □ 32mm x 38mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-164/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-165 **SSS** **PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**



BAH-165/A Section 25x12/25x25, Proj. 57, Length 225 ctc 200

BAH-165/B Section 25x12/25x25, Proj. 57, Length 325 ctc 300

BAH-165/C Section 25x12/25x25, Proj. 57, Length 425 ctc 400

BAH-165/D Section 25x12/25x25, Proj. 57, Length 525 ctc 500

BAH-165/E Section 25x12/25x25, Proj. 57, Length 625 ctc 600

Note: SPECIAL SIZES - AVAILABLE ON REQUEST

25x12 Handles exceeding 1300 ctc - are manufactured with a 3rd stand-off
Stand-off Size: □ 25mm


HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-165/A	25 x 12	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-166 **SSS PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**



BAH-166/A	Section ø25 / 25x5, Proj. 60, Length 325 ctc 300
BAH-166/B	Section ø25 / 25x5, Proj. 60, Length 475 ctc 450
BAH-166/C	Section ø25 / 25x5, Proj. 60, Length 625 ctc 600
BAH-166/D	Section ø25 / 25x5, Proj. 60, Length 925 ctc 900
BAH-166/E	Section ø25 / 25x5, Proj. 60, Length 1225 ctc 1200
BAH-166/F	Section ø25 / 25x5, Proj. 60, Length 1525 ctc 1500

... NEW PRODUCT 30-06-04 ...

Note: Handles exceeding 900mm CTC are manufactured with a third standoff
Standoff size: 25mm

HOW TO SPECIFY

eg: Product Code **BAH-166/A** Section **25 x 5** Fixing **G.Fix** (see Fixing Page) Finish **SSS**

HANDLES can be Manufactured to Specific Requirements




Barben BAH-167

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-167/A	Dia. 32,	Proj. 92,	Length 332	ctc 300
BAH-167/B	Dia. 32,	Proj. 92,	Length 482	ctc 450
BAH-167/C	Dia. 32,	Proj. 92,	Length 632	ctc 600
BAH-167/D	Dia. 32,	Proj. 92,	Length 932	ctc 900
BAH-167/E	Dia. 32,	Proj. 92,	Length 1232	ctc 1200
BAH-167/F	Dia. 32,	Proj. 92,	Length 1532	ctc 1500
BAH-167/G	Dia. 32,	Proj. 92,	Length 1832	ctc 1800
BAH-167/H	Dia. 32,	Proj. 92,	Length 2132	ctc 2100

... NEW PRODUCT 30-06-04 ...

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø32mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-167/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-168

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-168/A	Section. 50x25, Proj. 85, Length 325 ctc 300
BAH-168/B	Section. 50x25, Proj. 85, Length 475 ctc 450
BAH-168/C	Section. 50x25, Proj. 85, Length 625 ctc 600
BAH-168/D	Section. 50x25, Proj. 85, Length 925 ctc 900
BAH-168/E	Section. 50x25, Proj. 85, Length 1225 ctc 1200
BAH-168/F	Section. 50x25, Proj. 85, Length 1525 ctc 1500
BAH-168/G	Section. 50x25, Proj. 85, Length 1825 ctc 1800
BAH-168/H	Section. 50x25, Proj. 85, Length 2125 ctc 2100

... NEW PRODUCT 30-06-04 ...

Note: 50x25 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
Stand-off Size: 50x25mm

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-168/A	50 x 25	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-169

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-169/A	Section 50x10,50x25 Proj. 55, Length 325 ctc 300
BAH-169/B	Section 50x10,50x25 Proj. 55, Length 475 ctc 450
BAH-169/C	Section 50x10,50x25 Proj. 55, Length 625 ctc 600
BAH-169/D	Section 50x10,50x25 Proj. 55, Length 925 ctc 900
BAH-169/E	Section 50x10,50x25 Proj. 55, Length 1225 ctc 1200
BAH-169/F	Section 50x10,50x25 Proj. 55, Length 1525 ctc 1500
BAH-169/G	Section 50x10,50x25 Proj. 55, Length 1825 ctc 1800
BAH-169/H	Section 50x10,50x25 Proj. 55, Length 2125 ctc 2100

... NEW PRODUCT 30-06-04 ...

Note: 50x10 Handles exceeding 1400 ctc - are manufactured with a 3rd stand-off
Stand-off Size: 50mm x 25mm

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-169/A	50 x 10	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-170

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-170/A	RHS 50x25,	Proj. 85,	Length 350	ctc 300
BAH-170/B	RHS 50x25,	Proj. 85,	Length 500	ctc 450
BAH-170/C	RHS 50x25,	Proj. 85,	Length 650	ctc 600
BAH-170/D	RHS 50x25,	Proj. 85,	Length 950	ctc 900
BAH-170/E	RHS 50x25,	Proj. 85,	Length 1250	ctc 1200
BAH-170/F	RHS 50x25,	Proj. 85,	Length 1550	ctc 1500
BAH-170/G	RHS 50x25,	Proj. 85,	Length 1850	ctc 1800
BAH-170/H	RHS 50x25,	Proj. 85,	Length 2150	ctc 2100

... NEW PRODUCT 30-06-04 ...

Note: Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-170/A	50 x 25	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-171

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-171/A

BAH-171/B

BAH-171/C

BAH-171/D

Section 75 x 20 Proj. 75, Length 750, ctc 650

Section 75 x 20 Proj. 75, Length 1000, ctc 900

Section 75 x 20 Proj. 75, Length 1250, ctc 1150

Section 75 x 20 Proj. 75, Length 1500, ctc 1400

... NEW PRODUCT 10-09-06 ...

HOW TO SPECIFY

Product Code
eg: **BAH-171/A**

Section
75 x 20

Fixing (see Fixing Page)
G.Fix

Finish
SSS




Barben BAH-172

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-172/A	Section 100x10,100x25 Proj. 55, Length 325 ctc 300
BAH-172/B	Section 100x10,100x25 Proj. 55, Length 475 ctc 450
BAH-172/C	Section 100x10,100x25 Proj. 55, Length 625 ctc 600
BAH-172/D	Section 100x10,100x25 Proj. 55, Length 925 ctc 900
BAH-172/E	Section 100x10,100x25 Proj. 55, Length 1225 ctc 1200
BAH-172/F	Section 100x10,100x25 Proj. 55, Length 1525 ctc 1500
BAH-172/G	Section 100x10,100x25 Proj. 55, Length 1825 ctc 1800
BAH-172/H	Section 100x10,100x25 Proj. 55, Length 2125 ctc 2100

... NEW PRODUCT 10-09-06 ...

Note: Handles exceeding 1200mm CTC are manufactured with a third standoff
Standoff size: 100mm x 25mm

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-172/A	100 x 10	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-173

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



Recessed Pull

BAH-173/A	Flange 100x3, Recess 75x19, Proj. 3, Length 300
BAH-173/B	Flange 100x3, Recess 75x19, Proj. 3, Length 450
BAH-173/C	Flange 100x3, Recess 75x19, Proj. 3, Length 600
BAH-173/D	Flange 100x3, Recess 75x19, Proj. 3, Length 900
BAH-173/E	Flange 100x3, Recess 75x19, Proj. 3, Length 1200
BAH-173/F	Flange 100x3, Recess 75x19, Proj. 3, Length 1500
BAH-173/G	Flange 100x3, Recess 75x19, Proj. 3, Length 1800
BAH-173/H	Flange 100x3, Recess 75x19, Proj. 3, Length 2100

... NEW PRODUCT 10-09-06 ...

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-173/A	100 x 3	G.Fix	SSS

RECESSED DOOR PULLS can be Manufactured to Specific Requirements




Barben BAH-174

SSS PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-174/A	Dia. 32,	Proj. 92,	Length 300	ctc 100
BAH-174/B	Dia. 32,	Proj. 92,	Length 400	ctc 200
BAH-174/C	Dia. 32,	Proj. 92,	Length 500	ctc 300
BAH-174/D	Dia. 32,	Proj. 92,	Length 600	ctc 400
BAH-174/E	Dia. 32,	Proj. 92,	Length 700	ctc 500
BAH-174/F	Dia. 32,	Proj. 92,	Length 800	ctc 600
BAH-174/G	Dia. 32,	Proj. 92,	Length 900	ctc 700
BAH-174/H	Dia. 32,	Proj. 92,	Length 1000	ctc 800
BAH-174/I	Dia. 32,	Proj. 92,	Length 1100	ctc 900
BAH-174/J	Dia. 32,	Proj. 92,	Length 1200	ctc 1000
BAH-174/K	Dia. 32,	Proj. 92,	Length 1300	ctc 1100
BAH-174/L	Dia. 32,	Proj. 92,	Length 1400	ctc 1200
BAH-174/M	Dia. 32,	Proj. 92,	Length 1500	ctc 1300
BAH-174/N	Dia. 32,	Proj. 92,	Length 1600	ctc 1400
BAH-174/O	Dia. 32,	Proj. 92,	Length 1700	ctc 1500
BAH-174/P	Dia. 32,	Proj. 92,	Length 1800	ctc 1600
BAH-174/Q	Dia. 32,	Proj. 92,	Length 1900	ctc 1700
BAH-174/R	Dia. 32,	Proj. 92,	Length 2000	ctc 1800
BAH-174/S	Dia. 32,	Proj. 92,	Length 2100	ctc 1900
BAH-174/T	Dia. 32,	Proj. 92,	Length 2200	ctc 2000
BAH-174/U	Dia. 32,	Proj. 92,	Length 2300	ctc 2100
BAH-174/V	Dia. 32,	Proj. 92,	Length 2400	ctc 2200

... NEW PRODUCT 10-09-06 ...

Timber: **Tasmanian Oak**

Standard Stains; Teak, Jarrah, Walnut & Wenge. Other finishes available on request.

Note: Handles exceeding 1300mm CTC are manufactured with a third standoff

Standoff size: 32mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-174/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-175 **SSS** **PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**



BAH-175/A	Dia. 32,	Proj. 78,	Length 300	ctc 200
BAH-175/B	Dia. 32,	Proj. 78,	Length 400	ctc 300
BAH-175/C	Dia. 32,	Proj. 78,	Length 500	ctc 400
BAH-175/D	Dia. 32,	Proj. 78,	Length 600	ctc 500
BAH-175/E	Dia. 32,	Proj. 78,	Length 700	ctc 600
BAH-175/F	Dia. 32,	Proj. 78,	Length 800	ctc 700
BAH-175/G	Dia. 32,	Proj. 78,	Length 900	ctc 800
BAH-175/H	Dia. 32,	Proj. 78,	Length 1000	ctc 900
BAH-175/I	Dia. 32,	Proj. 78,	Length 1100	ctc 1000
BAH-175/J	Dia. 32,	Proj. 78,	Length 1200	ctc 1100
BAH-175/K	Dia. 32,	Proj. 78,	Length 1300	ctc 1200
BAH-175/L	Dia. 32,	Proj. 78,	Length 1400	ctc 1300
BAH-175/M	Dia. 32,	Proj. 78,	Length 1500	ctc 1400
BAH-175/N	Dia. 32,	Proj. 78,	Length 1600	ctc 1500
BAH-175/O	Dia. 32,	Proj. 78,	Length 1700	ctc 1600
BAH-175/P	Dia. 32,	Proj. 78,	Length 1800	ctc 1700
BAH-175/Q	Dia. 32,	Proj. 78,	Length 1900	ctc 1800
BAH-175/R	Dia. 32,	Proj. 78,	Length 2000	ctc 1900
BAH-175/S	Dia. 32,	Proj. 78,	Length 2100	ctc 2000
BAH-175/T	Dia. 32,	Proj. 78,	Length 2200	ctc 2100
BAH-175/U	Dia. 32,	Proj. 78,	Length 2300	ctc 2200

... NEW PRODUCT 10-09-06 ...

Timber: **Tasmanian Oak**

Standard Stains; Teak, Jarrah, Walnut & Wenge. Other finishes available on request.

Note: Handles exceeding 1300mm CTC are manufactured with a third standoff

Standoff size: 32mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-175/A	32mm	G.Fix (see Fixing Page)	SSS




Barben BAH-176

SSS PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-176/A	Dia. 32,	Proj. 92,	Length 300	ctc 200
BAH-176/B	Dia. 32,	Proj. 92,	Length 400	ctc 300
BAH-176/C	Dia. 32,	Proj. 92,	Length 500	ctc 400
BAH-176/D	Dia. 32,	Proj. 92,	Length 600	ctc 500
BAH-176/E	Dia. 32,	Proj. 92,	Length 700	ctc 600
BAH-176/F	Dia. 32,	Proj. 92,	Length 800	ctc 700
BAH-176/G	Dia. 32,	Proj. 92,	Length 900	ctc 800
BAH-176/H	Dia. 32,	Proj. 92,	Length 1000	ctc 900
BAH-176/I	Dia. 32,	Proj. 92,	Length 1100	ctc 1000
BAH-176/J	Dia. 32,	Proj. 92,	Length 1200	ctc 1100
BAH-176/K	Dia. 32,	Proj. 92,	Length 1300	ctc 1200
BAH-176/L	Dia. 32,	Proj. 92,	Length 1400	ctc 1300
BAH-176/M	Dia. 32,	Proj. 92,	Length 1500	ctc 1400
BAH-176/N	Dia. 32,	Proj. 92,	Length 1600	ctc 1500
BAH-176/O	Dia. 32,	Proj. 92,	Length 1700	ctc 1600
BAH-176/P	Dia. 32,	Proj. 92,	Length 1800	ctc 1700
BAH-176/Q	Dia. 32,	Proj. 92,	Length 1900	ctc 1800
BAH-176/R	Dia. 32,	Proj. 92,	Length 2000	ctc 1900
BAH-176/S	Dia. 32,	Proj. 92,	Length 2100	ctc 2000
BAH-176/T	Dia. 32,	Proj. 92,	Length 2200	ctc 2100
BAH-176/U	Dia. 32,	Proj. 92,	Length 2300	ctc 2200

... NEW PRODUCT 10-09-06 ...

Timber: **Tasmanian Oak**

Standard Stains; Teak, Jarrah, Walnut & Wenge. Other finishes available on request.

Note: Handles exceeding 1300mm CTC are manufactured with a third standoff

Standoff size: 32mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-176/A	32mm	(see Fixing Page) G.Fix	SSS




Barben BAH-177

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-177/A	Square 32,	Proj. 92,	Length 400	ctc 200
BAH-177/B	Square 32,	Proj. 92,	Length 500	ctc 300
BAH-177/C	Square 32,	Proj. 92,	Length 600	ctc 400
BAH-177/D	Square 32,	Proj. 92,	Length 700	ctc 500
BAH-177/E	Square 32,	Proj. 92,	Length 800	ctc 600
BAH-177/F	Square 32,	Proj. 92,	Length 900	ctc 700
BAH-177/G	Square 32,	Proj. 92,	Length 1000	ctc 800
BAH-177/H	Square 32,	Proj. 92,	Length 1100	ctc 900
BAH-177/I	Square 32,	Proj. 92,	Length 1200	ctc 1000
BAH-177/J	Square 32,	Proj. 92,	Length 1300	ctc 1100
BAH-177/K	Square 32,	Proj. 92,	Length 1400	ctc 1200
BAH-177/L	Square 32,	Proj. 92,	Length 1500	ctc 1300
BAH-177/M	Square 32,	Proj. 92,	Length 1600	ctc 1400
BAH-177/N	Square 32,	Proj. 92,	Length 1700	ctc 1500
BAH-177/O	Square 32,	Proj. 92,	Length 1800	ctc 1600
BAH-177/P	Square 32,	Proj. 92,	Length 1900	ctc 1700
BAH-177/Q	Square 32,	Proj. 92,	Length 2000	ctc 1800
BAH-177/R	Square 32,	Proj. 92,	Length 2100	ctc 1900
BAH-177/S	Square 32,	Proj. 92,	Length 2200	ctc 2000
BAH-177/T	Square 32,	Proj. 92,	Length 2300	ctc 2100
BAH-177/U	Square 32,	Proj. 92,	Length 2400	ctc 2200

... NEW PRODUCT 10-09-06 ...

Timber: **Tasmanian Oak**

Standard Stains; Teak, Jarrah, Walnut & Wenge. Other finishes available on request.

Note: Handles exceeding 1300mm CTC are manufactured with a third standoff

Standoff size: 25mm


HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-177/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-178****SSS****PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-178/A	Square 32,	Proj. 92,	Length 400	ctc 200
BAH-178/B	Square 32,	Proj. 92,	Length 500	ctc 300
BAH-178/C	Square 32,	Proj. 92,	Length 600	ctc 400
BAH-178/D	Square 32,	Proj. 92,	Length 700	ctc 500
BAH-178/E	Square 32,	Proj. 92,	Length 800	ctc 600
BAH-178/F	Square 32,	Proj. 92,	Length 900	ctc 700
BAH-178/G	Square 32,	Proj. 92,	Length 1000	ctc 800
BAH-178/H	Square 32,	Proj. 92,	Length 1100	ctc 900
BAH-178/I	Square 32,	Proj. 92,	Length 1200	ctc 1000
BAH-178/J	Square 32,	Proj. 92,	Length 1300	ctc 1100
BAH-178/K	Square 32,	Proj. 92,	Length 1400	ctc 1200
BAH-178/L	Square 32,	Proj. 92,	Length 1500	ctc 1300
BAH-178/M	Square 32,	Proj. 92,	Length 1600	ctc 1400
BAH-178/N	Square 32,	Proj. 92,	Length 1700	ctc 1500
BAH-178/O	Square 32,	Proj. 92,	Length 1800	ctc 1600
BAH-178/P	Square 32,	Proj. 92,	Length 1900	ctc 1700
BAH-178/Q	Square 32,	Proj. 92,	Length 2000	ctc 1800
BAH-178/R	Square 32,	Proj. 92,	Length 2100	ctc 1900
BAH-178/S	Square 32,	Proj. 92,	Length 2200	ctc 2000
BAH-178/T	Square 32,	Proj. 92,	Length 2300	ctc 2100
BAH-178/U	Square 32,	Proj. 92,	Length 2400	ctc 2200

... NEW PRODUCT 10-09-06 ...

Timber: **Tasmanian Oak**

Standard Stains; Teak, Jarrah, Walnut & Wenge. Other finishes available on request.

Note: Handles exceeding 1300mm CTC are manufactured with a third standoff**Standoff size: 25mm**

HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-178/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-179

SSS PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



® 147630
Registered Design

BAH-179/A	Square 32,	Proj. 78,	Length 400	ctc 200
BAH-179/B	Square 32,	Proj. 78,	Length 500	ctc 300
BAH-179/C	Square 32,	Proj. 78,	Length 600	ctc 400
BAH-179/D	Square 32,	Proj. 78,	Length 700	ctc 500
BAH-179/E	Square 32,	Proj. 78,	Length 800	ctc 600
BAH-179/F	Square 32,	Proj. 78,	Length 900	ctc 700
BAH-179/G	Square 32,	Proj. 78,	Length 1000	ctc 800
BAH-179/H	Square 32,	Proj. 78,	Length 1100	ctc 900
BAH-179/ I	Square 32,	Proj. 78,	Length 1200	ctc 1000
BAH-179/J	Square 32,	Proj. 78,	Length 1300	ctc 1100
BAH-179/K	Square 32,	Proj. 78,	Length 1400	ctc 1200
BAH-179/L	Square 32,	Proj. 78,	Length 1500	ctc 1300
BAH-179/M	Square 32,	Proj. 78,	Length 1600	ctc 1400
BAH-179/N	Square 32,	Proj. 78,	Length 1700	ctc 1500
BAH-179/O	Square 32,	Proj. 78,	Length 1800	ctc 1600
BAH-179/P	Square 32,	Proj. 78,	Length 1900	ctc 1700
BAH-179/Q	Square 32,	Proj. 78,	Length 2000	ctc 1800
BAH-179/R	Square 32,	Proj. 78,	Length 2100	ctc 1900
BAH-179/S	Square 32,	Proj. 78,	Length 2200	ctc 2000
BAH-179/T	Square 32,	Proj. 78,	Length 2300	ctc 2100
BAH-179/U	Square 32,	Proj. 78,	Length 2400	ctc 2200

... NEW PRODUCT 10-09-06 ...

Timber: **Tasmanian Oak**

Standard Stains: Teak, Jarrah, Walnut & Wenge. Other finishes available on request.

Note: Handles exceeding 1300mm CTC are manufactured with a third standoff
Standoff size: 25mm


HOW TO SPECIFY

Product Code	Square	Fixing	Finish
eg: BAH-179/A	32mm	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-180**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-180/A	Dia. 32 38,	Proj. 92 98,	Length 400	ctc 200
BAH-180/B	Dia. 32 38,	Proj. 92 98,	Length 500	ctc 300
BAH-180/C	Dia. 32 38,	Proj. 92 98,	Length 600	ctc 400
BAH-180/D	Dia. 32 38,	Proj. 92 98,	Length 700	ctc 500
BAH-180/E	Dia. 32 38,	Proj. 92 98,	Length 800	ctc 600
BAH-180/F	Dia. 32 38,	Proj. 92 98,	Length 900	ctc 700
BAH-180/G	Dia. 32 38,	Proj. 92 98,	Length 1000	ctc 800
BAH-180/H	Dia. 32 38,	Proj. 92 98,	Length 1100	ctc 900
BAH-180/ I	Dia. 32 38,	Proj. 92 98,	Length 1200	ctc 1000
BAH-180/J	Dia. 32 38,	Proj. 92 98,	Length 1300	ctc 1100
BAH-180/K	Dia. 32 38,	Proj. 92 98,	Length 1400	ctc 1200
BAH-180/L	Dia. 32 38,	Proj. 92 98,	Length 1500	ctc 1300
BAH-180/M	Dia. 32 38,	Proj. 92 98,	Length 1600	ctc 1400
BAH-180/N	Dia. 32 38,	Proj. 92 98,	Length 1700	ctc 1500
BAH-180/O	Dia. 32 38,	Proj. 92 98,	Length 1800	ctc 1600
BAH-180/P	Dia. 32 38,	Proj. 92 98,	Length 1900	ctc 1700
BAH-180/Q	Dia. 32 38,	Proj. 92 98,	Length 2000	ctc 1800
BAH-180/R	Dia. 32 38,	Proj. 92 98,	Length 2100	ctc 1900
BAH-180/S	Dia. 32 38,	Proj. 92 98,	Length 2200	ctc 2000
BAH-180/T	Dia. 32 38,	Proj. 92 98,	Length 2300	ctc 2100
BAH-180/U	Dia. 32 38,	Proj. 92 98,	Length 2400	ctc 2200

... NEW PRODUCT 10-09-06 ...

Note: ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: ø32mm


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-180/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-181****SSS PSS**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-181/A	Dia. 25 32 38, Proj. 85 92 98, Length 400 ctc 200
BAH-181/B	Dia. 25 32 38, Proj. 85 92 98, Length 500 ctc 300
BAH-181/C	Dia. 25 32 38, Proj. 85 92 98, Length 600 ctc 400
BAH-181/D	Dia. 25 32 38, Proj. 85 92 98, Length 700 ctc 500
BAH-181/E	Dia. 25 32 38, Proj. 85 92 98, Length 800 ctc 600
BAH-181/F	Dia. 25 32 38, Proj. 85 92 98, Length 900 ctc 700
BAH-181/G	Dia. 25 32 38, Proj. 85 92 98, Length 1000 ctc 800
BAH-181/H	Dia. 25 32 38, Proj. 85 92 98, Length 1100 ctc 900
BAH-181/I	Dia. 25 32 38, Proj. 85 92 98, Length 1200 ctc 1000
BAH-181/J	Dia. 25 32 38, Proj. 85 92 98, Length 1300 ctc 1100
BAH-181/K	Dia. 25 32 38, Proj. 85 92 98, Length 1400 ctc 1200
BAH-181/L	Dia. 25 32 38, Proj. 85 92 98, Length 1500 ctc 1300
BAH-181/M	Dia. 25 32 38, Proj. 85 92 98, Length 1600 ctc 1400
BAH-181/N	Dia. 25 32 38, Proj. 85 92 98, Length 1700 ctc 1500
BAH-181/O	Dia. 25 32 38, Proj. 85 92 98, Length 1800 ctc 1600
BAH-181/P	Dia. 25 32 38, Proj. 85 92 98, Length 1900 ctc 1700
BAH-181/Q	Dia. 25 32 38, Proj. 85 92 98, Length 2000 ctc 1800
BAH-181/R	Dia. 25 32 38, Proj. 85 92 98, Length 2100 ctc 1900
BAH-181/S	Dia. 25 32 38, Proj. 85 92 98, Length 2200 ctc 2000
BAH-181/T	Dia. 25 32 38, Proj. 85 92 98, Length 2300 ctc 2100
BAH-181/U	Dia. 25 32 38, Proj. 85 92 98, Length 2400 ctc 2200

... NEW PRODUCT 10-09-06 ...

Note: ø25 Handles exceeding 1600 ctc - are manufactured with a 3rd stand-off
 ø32 Handles exceeding 2200 ctc - are manufactured with a 3rd stand-off
 Stand-off Size: ø25mm

HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-181/A	32mm	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-182

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-182/A	Section 40x20, Proj. 40, Length 300, ctc 250
BAH-182/B	Section 40x20, Proj. 40, Length 400, ctc 350
BAH-182/C	Section 40x20, Proj. 40, Length 500, ctc 450
BAH-182/D	Section 40x20, Proj. 40, Length 600, ctc 550

... NEW PRODUCT SEPT, 2012 ...

HOW TO SPECIFY

Product Code	Section	Fixing	(see Fixing Page)	Finish
eg: BAH-182/A	40x20	G.Fix		SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-183

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-183/A	Section 50x10,50x25	Proj. 55,	Length 325,	ctc 300
BAH-183/B	Section 50x10,50x25	Proj. 55,	Length 425,	ctc 400
BAH-183/C	Section 50x10,50x25	Proj. 55,	Length 525,	ctc 500
BAH-183/D	Section 50x10,50x25	Proj. 55,	Length 625,	ctc 600
BAH-183/E	Section 50x10,50x25	Proj. 55,	Length 725,	ctc 700

... NEW PRODUCT SEPT, 2012 ...

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-183/A	50x10/50x25	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-184

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-184/A	Section 19x19,	Proj. 59,	Length 319,	ctc 300
BAH-184/B	Section 19x19,	Proj. 59,	Length 419,	ctc 400
BAH-184/C	Section 19x19,	Proj. 59,	Length 519,	ctc 500
BAH-184/D	Section 19x19	Proj. 59,	Length 619,	ctc 600
BAH-184/E	Section 19x19	Proj. 59,	Length 719,	ctc 700
BAH-184/F	Section 19x19,	Proj. 59,	Length 819,	ctc 800
BAH-184/G	Section 19x19,	Proj. 59,	Length 919,	ctc 900
BAH-184/H	Section 19x19,	Proj. 59,	Length 1019,	ctc 1000

... NEW PRODUCT SEPT, 2012 ...

Note: 19x19 Handles exceeding 1000 ctc - are manufactured with a 3rd stand-off
Stand-off Size: 19mm x 19mm

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-184/A	19x19	G.Fix (see Fixing Page)	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-185

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-185/A	Section 16x16,40x16 Proj. 68, Length 340 ctc 300
BAH-185/B	Section 16x16,40x16 Proj. 68, Length 640 ctc 600
BAH-185/C	Section 16x16,40x16 Proj. 68, Length 940 ctc 900
BAH-185/D	Section 16x16,40x16 Proj. 68, Length 1240, ctc 1200

... NEW PRODUCT SEPT, 2012 ...

Note: 15x15 Handles exceeding 1200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: 40mm x 16mm

HOW TO SPECIFY

Product Code	Section	Fixing	(see Fixing Page)	Finish
eg: BAH-185/A	16x16/40x16	G.Fix		SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-186

TIMBER

SSS

PSS



(dimensions are millimetres)

Entry Door Pull Handle

BAH-186/A Diameter $\varnothing 200$, $\varnothing 32 \times 40$, Proj. 80, Length 200, ctc 100

BAH-186/B Diameter $\varnothing 250$, $\varnothing 32 \times 40$, Proj. 80, Length 250, ctc 150

BAH-186/C Diameter $\varnothing 300$, $\varnothing 32 \times 40$, Proj. 80, Length 300, ctc 200



Fixings:
Horizontal
or
Vertical

... NEW PRODUCT SEPT, 2012 ...

OPTIONAL ENGRAVING: Timber can be engraved with any Design or for any Application. Standard Timber; Tasmanian Oak. Other timbers available: Spotted Gum, American White Oak, Blackbutt, Tallowood & European Beach. The full range of available Timber Species can be viewed on our Website: www.barben.com.au


HOW TO SPECIFY

Product Code	Diameter	Fixing	Finish
eg: BAH-186/A	$\varnothing 200$	G.Fix	TEAK

HANDLES can be Manufactured to Specific Requirements

**Barben BAH-187****TIMBER**

(all dimensions - are in millimetres)

Entry Door Pull Handle

BAH-187/A	Section 70x40, Proj. 70, Length 600, ctc 500
BAH-187/B	Section 70x40, Proj. 70, Length 900, ctc 800
BAH-187/C	Section 70x40, Proj. 70, Length 1200, ctc 1100
BAH-187/D	Section 70x40, Proj. 70, Length 1500, ctc 1400
BAH-187/E	Section 70x40, Proj. 70, Length 1800, ctc 1700

... NEW PRODUCT SEPT, 2012 ...

OPTIONAL ENGRAVING: Timber can be engraved with any Design or for any Application. Standard Timber; Tasmanian Oak. Other timbers available: Spotted Gum, American White Oak, Blackbutt, Tallowood & European Beach. The full range of available Timber Species can be viewed on our Website: www.barben.com.au

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-187/A	70x40	G.Fix	TEAK

HANDLES can be Manufactured to Specific Requirements




Barben BAH-188

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-188/A	Section 25x16xø16, Proj. 60, Length 325, ctc 300
BAH-188/B	Section 25x16xø16, Proj. 60, Length 475, ctc 450
BAH-188/C	Section 25x16xø16, Proj. 60, Length 625, ctc 600
BAH-188/D	Section 25x16xø16, Proj. 60, Length 925, ctc 900
BAH-188/E	Section 25x16xø16, Proj. 60, Length 1225, ctc 1200
BAH-188/F	Section 25x16xø16, Proj. 60, Length 1525, ctc 1500


... NEW PRODUCT SEPT, 2012 ...

Note: ø16 Handles exceeding 1200 ctc - are manufactured with a 3rd stand-off
Stand-off Size: 25mm x 16mm

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-188/A	25x16/ø16	G.Fix	PSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-189

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-189/A Section 25x25/25x10/25x6, Proj. 60, Length 375, ctc 300

BAH-189/B Section 25x25/25x10/25x6, Proj. 60, Length 525, ctc 450

BAH-189/C Section 25x25/25x10/25x6, Proj. 60, Length 675, ctc 600

BAH-189/D Section 25x25/25x10/25x6, Proj. 60, Length 975, ctc 900

... NEW PRODUCT SEPT, 2012 ...

HOW TO SPECIFY


Product Code	Section	Fixing	(see Fixing Page)	Finish
eg: BAH-189/A	25x25/25x10	G.Fix		SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-190 **TIMBER** **SSS** **PSS** (dimensions are millimetres) **Entry Door Pull Handle**

- BAH-190/A** **Section** 150x75/100x6, **Proj.** 75, **Length** 300, **ctc** 200
BAH-190/B **Section** 150x75/100x6, **Proj.** 75, **Length** 450, **ctc** 350
BAH-190/C **Section** 150x75/100x6, **Proj.** 75, **Length** 600, **ctc** 500
BAH-190/D **Section** 150x75/100x6, **Proj.** 75, **Length** 900, **ctc** 800



... NEW PRODUCT SEPT, 2012 ...

OPTIONAL ENGRAVING: Timber can be engraved with any Design or for any Application. Standard Timber; Tasmanian Oak. Other timbers available: Spotted Gum, American White Oak, Blackbutt, Tallowood & European Beach. The full range of available Timber Species can be viewed on our Website: www.barben.com.au

HOW TO SPECIFY


Product Code	Section	Fixing	Finish
eg: BAH-190/A	150x75/100x6	G.Fix	TEAK

HANDLES can be Manufactured to Specific Requirements



Barben BAH-191 **SSS PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**

BAH-191/A Section 200x50/40x10, Proj. 65, Length; ctc;
CUSTOM TO ORDER



... NEW PRODUCT SEPT, 2012 ...

HANDLES CAN BE MANUFACTURED TO CUSTOM LENGTHS

HOW TO SPECIFY


Product Code	Section	Fixing	Finish
eg: BAH-191/A	200x50/40x10	G.Fix (see Fixing Page)	PSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-192 **SSS PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**

BAH-192/A Section 150x820x3, Proj. 3, Length 820, ctc n/a



... NEW PRODUCT SEPT, 2012 ...

Cut-Out: 112mm x 28mm - CUSTOM SIZES ARE AVAILABLE

OPTIONAL ENGRAVING: Panels can be engraved with any Design or for any Application

HOW TO SPECIFY


Product Code	Section	Fixing	Finish
eg: BAH-192/A	150x820x3	G.Fix	PSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-193 **SSS PSS** (all dimensions - are in millimetres) **Entry Door Pull Handle**

BAH-193/A Section 690x450x3, Proj. 3, Length 690, ctc n/a



... NEW PRODUCT SEPT, 2012 ...

Cut-Out: 370mm x 40mm - CUSTOM SIZES AVAILABLE

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-193/A	690x450x3	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements




Barben BAH-194

SSS

PSS

(all dimensions - are in millimetres)

Entry Door Pull Handle



BAH-194/A	Section 50x25/100x10	Proj. 60, Length 300, ctc 200
BAH-194/B	Section 50x25/100x10	Proj. 60, Length 450, ctc 350
BAH-194/C	Section 50x25/100x10	Proj. 60, Length 600, ctc 500
BAH-194/D	Section 50x25/100x10	Proj. 60, Length 750, ctc 650

... NEW PRODUCT SEPT, 2012 ...

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-194/A	50x25/100x10	G.Fix	SSS

HANDLES can be Manufactured to Specific Requirements



Barben BAH-195


TIMBER

SSS

PSS

(dimensions are millimetres)

Entry Door Pull Handle



BAH-195/A	Section 65x32, ø25, Proj. 75, Length 1000	ctc 800
BAH-195/B	Section 65x32, ø25, Proj. 75, Length 1500	ctc 1300
BAH-195/C	Section 65x32, ø25, Proj. 75, Length 2000	ctc 1800
BAH-195/D	Section 65x32, ø25, Proj. 75, Length 2400	ctc 2200

... NEW PRODUCT SEPT, 2012 ...

OPTIONAL ENGRAVING: Timber can be engraved with any Design or for any Application. Standard Timber; Tasmanian Oak. Other timbers available: Spotted Gum, American White Oak, Blackbutt, Tallowood & European Beach. The full range of available Timber Species can be viewed on our Website: www.barben.com.au

HOW TO SPECIFY

Product Code	Section	Fixing	Finish
eg: BAH-195/A	65x32/ø25	G.Fix	TEAK

HANDLES can be Manufactured to Specific Requirements